

**20<sup>TH</sup>  
KASK**

**SAFETY  
COLLECTION**

KASK

PERFORMANCE IS  
A BEAUTIFUL THING.





# I N D E X

OUR MISSION   OUR PASSION	6
20 YEARS TO A GLOBAL NETWORK	8
KASK TIMELINE	10
THE KASK DIFFERENCE	14
KASK ROTATIONAL IMPACT WG11 TEST	22
<b>HEAD PROTECTION</b>	<b>24</b>
HEAD PROTECTION STANDARDS	25
<b>ZENITH X</b>	<b>28</b>
OVERVIEW OF TECHNOLOGIES	30
ZENITH X	34
ZENITH X HI VIZ	36
ZENITH X AIR	38
ZENITH X AIR HI VIZ	40
ZENITH X PL	42
ZENITH X PL HI VIZ	44
ZENITH X COMBO	46
ZENITH X AIR COMBO	48
ZENITH X PL COMBO	50
<b>PRIMERO</b>	<b>52</b>
OVERVIEW OF TECHNOLOGIES	54
PRIMERO	58
PRIMERO HI VIZ	60
PRIMERO AIR	62
PRIMERO AIR HI VIZ	64
PRIMERO PL	66
PRIMERO PL HI VIZ	68
<b>SUPERPLASMA</b>	<b>70</b>
OVERVIEW OF TECHNOLOGIES	72
SUPERPLASMA AQ	76
SUPERPLASMA AQ HI VIZ	78
SUPERPLASMA PL	80
SUPERPLASMA PL HI VIZ	82
SUPERPLASMA HP	84
SUPERPLASMA HP VISOR	86
<b>EYE &amp; FACE PROTECTION</b>	<b>88</b>
EYE & FACE PROTECTION STANDARDS	89
OVERVIEW OF TECHNOLOGIES	92
<b>HEARING PROTECTION</b>	<b>102</b>
OVERVIEW OF TECHNOLOGIES	104
<b>WEATHER PROTECTION</b>	<b>108</b>
OVERVIEW OF TECHNOLOGIES	110
<b>HEADLAMPS</b>	<b>116</b>
OVERVIEW OF TECHNOLOGIES	118
<b>OTHER ACCESSORIES</b>	<b>122</b>
CUSTOM PRINTING AS EASY AS 1, 2, 3	124
SPARE PARTS	126
SALES SUPPORT	128
ZENITH X FULL RANGE	130
PRIMERO FULL RANGE	132
SUPERPLASMA FULL RANGE	134




# OUR MISSION.

Develop helmets  
that exceed the  
strictest global safety  
protection standards.

— 6

# OUR PASSION.

Designing helmets  
for all-day comfort  
and optimal worker  
performance.





*"Every great adventure starts in your head. We take care of it. We create and develop advanced helmets that combine comfort, safety, and design to look just as great as they perform."*

KASK CEO Angelo Gotti

KASK IN THE WORLD

# 20 YEARS TO A GLOBAL NETWORK.




**KASK AMERICA**  
Est. 2010

— 8

 3

Global  
offices






Started in 2004, KASK has built an industry-leading global team of engineers, product specialists, and premier partners.



**KASK ITALIA**  
Headquarters  
Est. 2004



**KASK AUSTRALIA**  
Est. 2014



**2004**

R&D

KASK is founded to develop advanced helmet safety improvements for OEM customers.

**2008**

SAFETY

KASK shifts from OEM supplier to manufacturer to accelerate innovations in industrial helmets.

**2006**

CYCLING

KASK brings safety, comfort, and design helmet philosophies to demanding cycling market.

**2009**

SNOW

KASK performance benefits are extended to meet the challenging applications of winter sport enthusiasts.

**2011**

## URBAN

KASK comfort and design competencies are extended into the immerging consumer markets.

**2016**

## KOO EYEWEAR

KASK launches new performance eyewear brand to deliver integrated head and eye protection solutions.

**2015**

## EQUESTRIAN

KASK recognizes a gap in protection and performance in equestrian helmets, and delivers advanced design and innovative features.

**2021**

## VOGEL

KASK acquires Vogel, an American bespoke equestrian footwear brand, sharing the same values of luxury, service, and quality with a dedication to craftsmanship.



KASK





# THE KASK DIFFERENCE.

Delivering performance  
helmets requires:

- > a dedication to SAFETY
- > a commitment to COMFORT
- > a passion for DESIGN





KASK





# SAFETY.

Engineered to exceed the strictest global safety protection standards.



The first to introduce high-density polystyrene interior for a complete whole head protection.



Offices in Europe, Australia, and North America ensure KASK helmets exceed global safety standards.



The first to standardize chinstrap systems to ensure consistently secure head protection.




# COMFORT.

New technologies that increase worker confidence for all-day performance.



Ratchet fit systems enable comfort as the wearer's head moves ensuring firm helmet stability.



Integrated ventilation systems that channel airflow through the helmet for all-day comfort.



Advanced materials and fabrics wick away moisture to keep workers cool and dry.





**KASK**



# DESIGN.

Uncompromising attention to details that produces helmets workers *want* to wear.



Designed with easily replaceable components to ensure helmets are a long-lasting investment.



A suite of advanced, fully integrated accessories that allow all helmets to be customized for your needs.



Recognized by the global design community for exceptional attention to form and function.



# KASK ROTATIONAL IMPACT WG11 TEST.

Every KASK helmet is tested for rotational impact performance.



— 22

KASK has always been committed to creating products that provide both excellent safety and comfort, exceeding requirements set by international standards and norms.

**KASK WG11 test is an internal protocol adopted by KASK to identify an objective method, based on scientific sources, for measuring the performance of its helmets against rotational impacts.**

Most helmets tests use rotational impact prevention technologies with headforms that have a higher coefficient of friction than those of the human skull and therefore may not reflect what occurs in some accidents.

The “pass-fail” criterion is based on the BrIC value, an algorithm that defines the level of brain injury. This value must be lower than 0,68.

### The final test protocol is:

OBLIQUE IMPACT TESTS:

oblique tests @ 45°, impact speed 4,5 m/s, BrIC < 0,68

+ grade 80 closed-coat aluminum oxide abrasive paper

+ headform nominal coefficient of friction 0,3

+ wireless system: triaxial accelerometer + n. 3 ARS

Headform: EN 960 series

Measurements: Peak of rotational acceleration, Peak of linear acceleration, HIC, BRIC (< 0,68)



All KASK helmets successfully pass this test with values that are substantially less than 0,68 BrIC 0,39.

**HIGHER RISK OF BRAIN INJURY: >0.68**

**KASK PROTECTION: <0.39**

ROTATIONAL IMPACT WG11 TEST PASSED is a KASK registered trademark.

The ROTATIONAL IMPACT TEST PASSED is a KASK internal oblique impact test that measures the performance of its helmets against rotational impacts. This Test has not been adopted by CEN or its Working Group CEN TC158/Working Group 11.

# HEAD PROTECTION

— 24

## GLOBAL ICONS

KASK safety helmets have become recognized around the world for their exceptional safety, attention to design details, and worker comfort.





# OVERVIEW OF SELECT STANDARDS FOR KASK HELMETS

## EUROPEAN STANDARDS

### EN 397

The European safety standard for industrial helmets covering top impact absorption, penetration resistance, flame resistance, and chinstrap requirements with additional optional testing.

#### IMPACT & PENETRATION

- Meets top of head protection requirements

#### CHINSTRAP STRENGTH

- Withstands >15 kg to reduce risk of coming off in a fall
- Not exceed < 25 kg to reduce risk of strangulation if snagged

#### OPTIONAL TESTING

- Electrical Insulation (440 Volts)
- Extreme Temperature Resistance
- Molten Metal Splash Protection
- Lateral Deformation

### EN 12492

The European safety standard for climbing and mountaineering helmets covering top and lateral impact absorption, penetration resistance, and chinstrap requirements.

#### IMPACT & PENETRATION

- Meets top of head and lateral protection requirements

#### CHINSTRAP STRENGTH

- Withstands > 50 kg to reduce risk of coming off in a fall
- Chinstrap is only able to stretch up to 25mm max
- Helmet must not be able to slide from head

### EN 14052

The European High Performance industrial standard for high risk environments covering top and lateral impact absorption, penetration resistance, and chinstrap requirements with additional optional testing.

#### IMPACT & PENETRATION

- Meets high level top of head & lateral protection requirements

#### CHINSTRAP STRENGTH

- Withstands >15 kg to reduce risk of coming off in a fall
- Not exceed < 25 kg to reduce risk of strangulation if snagged

#### OPTIONAL TESTING

- Molten Metal Splash Protection
- Performance at higher and lower temperatures
- Resistance to radiant heat
- Electrical properties

### EN 50365

Supplemental to EN397. The European testing method for electrical insulation helmets in low voltage environments.

#### REQUIREMENTS

- Helmet must meet requirements in accordance with EN397
- Helmet must not contain any conductive parts
- Air vents (if applicable) must not allow contact with live parts

#### ELECTRICAL INSULATION FOR A CLASS 0 MUST MEET EITHER/OR

- Protection against alternating voltage up to 1,000 Volts AC
- Protection against direct voltage up to 1,500 Volts DC



## AMERICAN STANDARDS

### ANSI Z89.1

The U.S. safety standard for industrial helmets covering impact absorption, penetration resistance, flame resistance, and electrical insulation ratings.

#### HELMET TYPE

**TYPE 1** – Meets top of head protection requirements

**TYPE 2** – Meets top and lateral protection requirements

#### ELECTRICAL INSULATION

**CLASS C** – Conductive - No electrical protection

**CLASS G** – General - withstands 2,200 Volts

**CLASS E** – Electrical - withstands 20,000 Volts

#### OPTIONAL TESTING

- Meets low or high temperature operating ranges

## CANADIAN STANDARDS

### CSA Z94.1

The Canadian safety standard for industrial helmets covering impact absorption, penetration resistance, flame resistance, and electrical insulation ratings.

#### HELMET TYPE

**TYPE 1** – Meets top of head protection requirements

**TYPE 2** – Meets top and lateral protection requirements

#### ELECTRICAL INSULATION

**CLASS C** – Conductive - No electrical protection

**CLASS G** – General - withstands 2,200 Volts

**CLASS E** – Electrical - withstands 20,000 Volts

#### OPTIONAL TESTING

- Helmet can be worn backwards and meet standards

## AUSTRALIAN & NEW ZEALAND STANDARDS

### AS/NZS 1801

The Australian safety standard for industrial helmets covering impact absorption, penetration resistance, flame resistance, and electrical insulation ratings.

#### HELMET TYPE

**TYPE 1** – Meets top and lateral protection requirements

**TYPE 2** – Meets high temperature workplace requirements

**TYPE 3** – Meets bushfire fighting requirements

#### ELECTRICAL INSULATION




- Operation up to 650 Volts

#### OPTIONAL TESTING

- Meets low or high temperature operating ranges
- Flame Resistance

# KASK HELMETS EXCEEDING SAFETY STANDARDS

		TOP IMPACTS		PENETRATION OF OBJECTS	SIDE, FRONT AND REAR IMPACTS	CHINSTAP RELEASE
	<b>ZENITH X</b> <b>ZENITH X HI VIZ</b> EN 397 - EN 50365	●	●	●	● <b>K</b>	●
		5 kg from 1 m 100 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	> 15 kg < 25 kg
	<b>ZENITH X AIR</b> <b>ZENITH X AIR HI VIZ</b> EN 397 - EN 50365	●	●	●	● <b>K</b>	●
		5 kg from 1 m 50 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	> 15 kg < 25 kg
	<b>ZENITH X PL</b> <b>ZENITH X PL HI VIZ</b> EN 12492	●	●	●	●	
		5 kg from 2 m 100 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	
	<b>PRIMERO</b> <b>PRIMERO HI VIZ</b> EN 397 - EN 50365	●	● <b>K</b>	●	● <b>K</b>	●
		5 kg from 1 m 50 J	5 kg from 2 m 100 J	3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	> 15 kg < 25 kg
	<b>PRIMERO AIR</b> <b>PRIMERO AIR HI VIZ</b> EN 397 - EN 50365	●	● <b>K</b>	●	● <b>K</b>	●
		5 kg from 1 m 50 J	5 kg from 2 m 100 J	3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	> 15 kg < 25 kg
	<b>PRIMERO PL</b> <b>PRIMERO PL HI VIZ</b> EN 12492	●	●	●	●	
		5 kg from 2 m 100 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	
	<b>SUPERPLASMA AQ</b> <b>SUPERPLASMA AQ HI VIZ</b> EN 397	●	●	●	● <b>K</b>	●
		5 kg from 1 m 50 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	> 15 kg < 25 kg
	<b>SUPERPLASMA PL</b> <b>SUPERPLASMA PL HI VIZ</b> EN 12492	●	●	●	●	
		5 kg from 2 m 100 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	
	<b>SUPERPLASMA HP</b> <b>SUPERPLASMA HP VISOR</b> EN 14052	●	●	●	●	●
		5 kg from 2 m 100 J		1 kg from 2,5 m 25 J Off-Crown: 1 kg from 2 m 20 J	5 kg from 1 m 50 J	> 15 kg < 25 kg

-  Required performance tests for certification
-  EN 397 optional requirements
-  EN 12492 added performance tests

CHINSTAP RESISTANCE	RETENTION SYSTEM EFFECTIVENESS	ELECTRIC INSULATION	ELECTRIC INSULATION	LOWER TEMPERATURE RESISTANCE	LATERAL DEFORMATION	MOLTEN METAL SPLASH
		● EN 50365 (Class 0)	Ⓚ 440V	Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
		● EN 50365 (Class 0)		Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
● > 50 kg	●					
		● EN 50365 (Class 0)	Ⓚ 440V	Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
		● EN 50365 (Class 0)		Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
● > 50 kg	●			Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
				Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
● > 50 kg	●					
	●				Ⓚ LD	



# ZENITH X

— 28

Our passion for worker comfort and performance fueled the inspiration to design a helmet without compromise – one that is exponentially better.





# OVERVIEW OF TECHNOLOGIES.

**DRY+**

Advanced composite fabric integrated with Hydrocool® moisture-wicking technology and exceptionally soft textiles for enhanced user comfort.

**ADAPTIVE FIT SYSTEM**

A size adjustment system which integrates three components for all-day comfort. A new, double diameter dial allows for easier size adjustments. Ergonomic side wings ensure a fast and secure fit against the back of the head. The patented Self Adaptive Live Hinge is the latest, self-adjusting fit technology that moves as the wearer moves.

**FAUX-LEATHER****ADVANCED CHINSTRAP**

Faux leather chinstrap designed with new, rear adjustment points for a more personalized fit. Accommodates wider sizes and adapts to earmuff use. Color-coded fasteners indicate which EN standard the chinstrap meets.

**EASY CLICK SYSTEM**

Integrated slots that enable seamless accessory attachment. Applies to KASK eye, face, and hearing protection.



# FEATURES.



## FRONT ATTACHMENT POINT

Holds accessories such as badges and headlamps.



## RING TO HOOK

Enables secure attachment of helmet to harness or other items.



## LATERAL ADJUSTMENT DIVIDER

Side adjustment points on chinstrap for secure fit.



## POLYPROPYLENE HD EXTERNAL SHELL

Offers exponentially better impact protection especially at lower temps.







### HI-VIZ NAMEPLATE

Designed with rear high visibility nameplate for easy identification.



### ELECTRIC SHOCK PROTECTION

Protection against electric hazards.



### REPLACEABLE LAMP CLIPS

Four lamp attachment points designed to be removable.



### EARPLUG HOOKS

Lamp clips with secure earplug holders for easy access.



### EARMUFF ATTACHMENT SLOTS

Designed with integrated slots for attaching earmuffs.



# ZENITH X

Exceptional safety and comfort designed with multiple accessory options for enhanced protection in high voltage environments.

WHE00073  
EN 397 - EN 50365



— 34



WHE00073-201  
WHITE



WHE00073-202  
YELLOW



WHE00073-203  
ORANGE



WHE00073-204  
RED



WHE00073-205  
GREEN



WHE00073-206  
BRITISH GREEN



WHE00073-208  
BLUE



WHE00073-209  
ANTHRACITE



WHE00073-210  
BLACK



WHE00073-214  
PINK



WHE00073-215  
LIGHT GREY

**INCLUDES**



WAC00026  
DRAWSTRING  
HELMET BAG

All colors are available as made-to-order with Longer Chinstrap ( ↔ +10 cm)  
Part number WHE00125 - Zenith X LC

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:  
HD PolypropyleneINTERNAL SHELL:  
HD Expanded PolystyreneHEADBAND:  
Soft PA Nylon**SIZE**Universal-adjustable  
from 52 to 63 cm**WEIGHT**

490 g

**STANDARD**

EN 397

EN 50365 (Class 0)

Protection against front, rear and side  
impacts in conformity  
with EN 12492Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock  
energy absorption capacity  
Clause 4.2.2 penetration**TEMPERATURE OF USE**

-30°C / +50°C

**CATEGORY**

III

EN 397 additional tests:  
440V a.c. / -30°C / LD / MM

CE 2008 UK 8503

## ORDER LOGISTICS

**MASTERBOX**  
18 pieces**DIMENSIONS**  
82 x 47 x 56 cm**WEIGHT**  
16 kg

## KASK DURABILITY

**3 YEAR**  
GUARANTEE**10 YEAR**  
LIFE SPAN

# ZENITH X HI VIZ

Exceptional safety and comfort designed with multiple accessory options for enhanced protection in high voltage environments. Available in high-visibility color options.

WHE00074  
EN 397 - EN 50365



— 36



WHE00074-201  
WHITE



WHE00074-221  
YELLOW FLUO



WHE00074-222  
ORANGE FLUO

## INCLUDES



WAC00026  
DRAWSTRING  
HELMET BAG

All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm)  
Part number WHE00126 - Zenith X LC HI VIZ

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:  
HD PolypropyleneINTERNAL SHELL:  
HD Expanded PolystyreneHEADBAND:  
Soft PA Nylon**SIZE**Universal-adjustable  
from 52 to 63 cm**WEIGHT**

490 g

**STANDARD**

EN 397

EN 50365 (Class 0)

Protection against front, rear and side  
impacts in conformity  
with EN 12492Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock  
energy absorption capacity  
Clause 4.2.2 penetration**TEMPERATURE OF USE**

-30°C / +50°C

**CATEGORY**

III

EN 397 additional tests:  
440V a.c. / -30°C / LD / MM

CE 2008 UK 8503

## ORDER LOGISTICS

**MASTERBOX**  
18 pieces**DIMENSIONS**  
82 x 47 x 56 cm**WEIGHT**  
16 kg

## KASK DURABILITY

**3** YEAR  
GUARANTEE**10** YEAR  
LIFE SPAN

# ZENITH X AIR

Exceptional safety and comfort designed with ventilation channels and multiple accessory options for enhanced protection.

WHE00075  
EN 397 - EN 50365



— 38



WHE00075-201  
WHITE



WHE00075-202  
YELLOW



WHE00075-203  
ORANGE



WHE00075-204  
RED



WHE00075-205  
GREEN



WHE00075-206  
BRITISH GREEN



WHE00075-208  
BLUE



WHE00075-209  
ANTHRACITE



WHE00075-210  
BLACK



WHE00075-214  
PINK



WHE00075-215  
LIGHT GREY



**INCLUDES**

WAC00026  
DRAWSTRING  
HELMET BAG

All colors are available as made-to-order with Longer Chinstrap ( ↔ +10 cm)  
Part number WHE00127 - Zenith X AIR LC

FEATURED TECHNOLOGIES

-   
POLYPROPYLENE  
HD EXTERNAL  
SHELL
-   
D-CORE  
TECHNOLOGY
-   
HD CROWN  
PROTECTION
-   
CLICK-IN  
SYSTEM
-   
DRY+ LINER
-   
ADAPTIVE FIT  
SYSTEM
-   
ELECTRICAL SHOCK  
PROTECTION
-   
VENTILATION  
CHANNELS
-   
ECO LEATHER  
ADVANCED  
CHINSTRAP
-   
LATERAL  
ADJUSTMENT  
DIVIDER
-   
RING  
TO HOOK
-   
EARMUFF  
ATTACHMENT  
SLOTS
-   
HI-VIZ  
NAMEPLATE
-   
EARPLUG  
HOOKS
-   
FRONT  
ATTACHMENT  
POINT
-   
REPLACEABLE  
LAMP CLIPS
-   
EASY CLICK  
SYSTEM



TECHNICAL DETAILS



**MATERIAL**  
EXTERNAL SHELL:  
HD Polypropylene  
  
INTERNAL SHELL:  
HD Expanded Polystyrene  
  
HEADBAND:  
Soft PA Nylon



**SIZE**  
Universal-adjustable  
from 52 to 63 cm



**WEIGHT**  
490 g



**STANDARD**  
EN 397  
EN 50365 (Class 0)  
Protection against front, rear and side  
impacts in conformity with EN 12492  
Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock  
energy absorption capacity  
Clause 4.2.2 penetration  
Clause 4.1.4 ventilation



**TEMPERATURE OF USE**  
-30°C / +50°C



**CATEGORY**  
III

EN 397 additional tests:  
-30°C / LD / MM

CE 2008 UK 8503

ORDER LOGISTICS

**MASTERBOX**  
18 pieces

**DIMENSIONS**  
82 x 47 x 56 cm

**WEIGHT**  
16 kg

KASK DURABILITY

**3 YEAR**  
GUARANTEE

**10 YEAR**  
LIFE SPAN

# ZENITH X AIR HI VIZ

Exceptional safety and comfort designed with ventilation channels and multiple accessory options for enhanced protection. Available in high-visibility color options.

WHE00076  
EN 397 - EN 50365



— 40



WHE00076-201  
WHITE



WHE00076-221  
YELLOW FLUO



WHE00076-222  
ORANGE FLUO

## INCLUDES



WAC00026  
DRAWSTRING  
HELMET BAG

All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm)  
Part number WHE00128 - Zenith X AIR LC HI VIZ



## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:  
HD PolypropyleneINTERNAL SHELL:  
HD Expanded PolystyreneHEADBAND:  
Soft PA Nylon**SIZE**Universal-adjustable  
from 52 to 63 cm**WEIGHT**

490 g

**STANDARD**

EN 397

EN 50365 (Class 0)

Protection against front, rear and side impacts in conformity with EN 12492  
Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock energy absorption capacity  
Clause 4.2.2 penetration  
Clause 4.1.4 ventilation**TEMPERATURE OF USE**

-30°C / +50°C

**CATEGORY**

III

EN 397 additional tests:  
-30°C / LD / MM

CE 2008 UK 8503

## ORDER LOGISTICS

**MASTERBOX**  
18 pieces**DIMENSIONS**  
82 x 47 x 56 cm**WEIGHT**  
16 kg

## KASK DURABILITY

**3 YEAR**  
GUARANTEE**10 YEAR**  
LIFE SPAN

**KASK**

# ZENITH X PL

Exceptional safety and comfort designed with ventilation channels and multiple accessory options for enhanced protection. Exceeds EN Mountaineering standards.

WHE00079  
EN 12492



— 42



WHE00079-201  
WHITE



WHE00079-202  
YELLOW



WHE00079-203  
ORANGE



WHE00079-204  
RED



WHE00079-210  
BLACK



WHE00079-214  
PINK

## INCLUDES



WAC00026  
DRAWSTRING  
HELMET BAG

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:  
HD PolypropyleneINTERNAL SHELL:  
HD Expanded PolystyreneHEADBAND:  
Soft PA Nylon**SIZE**Universal-adjustable  
from 52 to 63 cm**STANDARD**

EN 12492

CE UK CA

**WEIGHT**

480 g

**TEMPERATURE OF USE**

-20°C / +35°C

**CATEGORY**

II

## ORDER LOGISTICS

**MASTERBOX**  
18 pieces**DIMENSIONS**  
82 x 47 x 56 cm**WEIGHT**  
15,5 kg

## KASK DURABILITY

**3 YEAR**  
GUARANTEE**10 YEAR**  
LIFE SPAN

**KASK**

# ZENITH X PL HI VIZ

Exceptional safety and comfort designed with ventilation channels and multiple accessory options for enhanced protection. Exceeds EN Mountaineering standards. Available in high-visibility color options.

WHE00080  
EN 12492



— 44



WHE00080-201  
WHITE




WHE00080-221  
YELLOW FLUO

## INCLUDES



WAC00026  
DRAWSTRING  
HELMET BAG

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:  
HD PolypropyleneINTERNAL SHELL:  
HD Expanded PolystyreneHEADBAND:  
Soft PA Nylon**SIZE**Universal-adjustable  
from 52 to 63 cm**STANDARD**

EN 12492

CE UK  
CA**WEIGHT**

480 g

**TEMPERATURE OF USE**

-20°C / +35°C

**CATEGORY**

II

## ORDER LOGISTICS

**MASTERBOX**  
18 pieces**DIMENSIONS**  
82 x 47 x 56 cm**WEIGHT**  
15,5 kg

## KASK DURABILITY

**3** YEAR  
GUARANTEE**10** YEAR  
LIFE SPAN

# ZENITH X COMBO

Exceptional safety and comfort designed with preinstalled mesh face shield and earmuffs for enhanced protection in high-voltage environments.

WHE00077  
EN 397 - EN 50365



— 46



WHE00077-203  
ORANGE



WHE00077-221  
YELLOW FLUO



WHE00077-210  
BLACK

## INCLUDES



WHP00005  
EARMUFFS SC2



WVI00009  
ZEN MM VISOR



WAC00009  
EASY CLICK  
ADAPTERS



WAC00010  
VISOR CARRIER




WVI00011  
BRIM



WAC00026  
DRAWSTRING  
HELMET BAG

FEATURED TECHNOLOGIES



TECHNICAL DETAILS

**MATERIAL**  
 EXTERNAL SHELL:  
 HD Polypropylene  
 INTERNAL SHELL:  
 HD Expanded Polystyrene  
 HEADBAND:  
 Soft PA Nylon

**TEMPERATURE OF USE**  
 -30°C / +50°C

**SIZE**  
 Universal-adjustable  
 from 52 to 63 cm

**WEIGHT**  
 490 g (helmet)

**STANDARD | HELMET**  
 EN 397  
 EN 50365 (Class 0)  
 Protection against front, rear and side impacts in conformity with EN 12492  
 Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock energy absorption capacity  
 Clause 4.2.2 penetration

EN 397 additional tests:  
 440V a.c. / -30°C / LD / MM

**CE** 2008 **UK CA** 8503  
**CATEGORY: III**

**STANDARD | EARMUFFS**  
 EN 352-3  
 ANSI S3.19  
**CE** 1974  
**UK CA**  
**CATEGORY: III**

**STANDARD | VISOR**  
 EN 1731  
 ANSI Z87.1  
**CE** **UK CA**  
**CATEGORY: II**

ORDER LOGISTICS

**MASTERBOX**  
 8 pieces

**DIMENSIONS**  
 82 x 54 x 47 cm

**WEIGHT**  
 14 kg

KASK DURABILITY

**3** YEAR  
 GUARANTEE

**10** YEAR  
 LIFE SPAN

# ZENITH X AIR COMBO

Exceptional safety and comfort designed with ventilation channels, preinstalled mesh face shield and earmuffs for enhanced protection.

WHE00078  
EN 397 - EN 50365



— 48



WHE00078-203  
ORANGE



WHE00078-221  
YELLOW FLUO



WHE00078-210  
BLACK

## INCLUDES



WHP00005  
EARMUFFS SC2



WVI00009  
ZEN MM VISOR



WAC00009  
EASY CLICK  
ADAPTERS



WAC00010  
VISOR CARRIER




WVI00011  
BRIM



WAC00026  
DRAWSTRING  
HELMET BAG



## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS

**MATERIAL**

EXTERNAL SHELL:  
HD Polypropylene

INTERNAL SHELL:  
HD Expanded Polystyrene

HEADBAND:  
Soft PA Nylon

**TEMPERATURE OF USE**

-30°C / +50°C

**SIZE**

Universal-adjustable  
from 52 to 63 cm

**WEIGHT**

490 g (helmet)

**STANDARD | HELMET**

EN 397  
EN 50365 (Class 0)

Protection against front, rear and side impacts in conformity with EN 12492  
Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock energy absorption capacity  
Clause 4.2.2 penetration  
Clause 4.1.4 ventilation

EN 397 additional tests:  
-30°C / LD / MM

CE 2008 UK CA 8503

**CATEGORY: III**

**STANDARD | EARMUFFS**

EN 352-3  
ANSI S3.19

CE 1974  
UK CA

**CATEGORY: III**

**STANDARD | VISOR**

EN 1731  
ANSI Z87.1

CE UK CA

**CATEGORY: II**

## ORDER LOGISTICS

**MASTERBOX**  
8 pieces

**DIMENSIONS**  
82 x 54 x 47 cm

**WEIGHT**  
14 kg

## KASK DURABILITY

**3** YEAR  
GUARANTEE

**10** YEAR  
LIFE SPAN

# ZENITH X PL COMBO

Exceptional safety and comfort designed with ventilation channels, preinstalled mesh face shield and earmuffs for enhanced protection. Exceeds EN Mountaineering standards.

WHE00081  
EN 12492



— 50



WHE00081-203  
ORANGE



WHE00081-221  
YELLOW FLUO



WHE00081-210  
BLACK

## INCLUDES



WHP00005  
EARMUFFS SC2



WVI00009  
ZEN MM VISOR



WAC00009  
EASY CLICK  
ADAPTERS



WAC00010  
VISOR CARRIER



WVI00011  
BRIM



WAC00026  
DRAWSTRING  
HELMET BAG

FEATURED TECHNOLOGIES

-   
POLYPROPYLENE  
HD EXTERNAL  
SHELL
-   
D-CORE  
TECHNOLOGY
-   
HD CROWN  
PROTECTION
-   
CLICK-IN  
SYSTEM
-   
DRY+ LINER
-   
ADAPTIVE FIT  
SYSTEM
-   
VENTILATION  
CHANNELS
-   
ECO LEATHER
-   
ADVANCED  
CHINSTRAP
-   
LATERAL  
ADJUSTMENT  
DIVIDER
-   
RING  
TO HOOK
-   
FRONT  
ATTACHMENT  
POINT
-   
REPLACEABLE  
LUMINESCENT  
LAMP CLIPS
-   
EARPLUG  
HOOKS
-   
EARMUFF  
ATTACHMENT  
SLOTS
-   
HI-VIZ  
NAMEPLATE
-   
EASY CLICK  
SYSTEM



TECHNICAL DETAILS



**MATERIAL**  
EXTERNAL SHELL:  
HD Polypropylene  
  
INTERNAL SHELL:  
HD Expanded Polystyrene  
  
HEADBAND:  
Soft PA Nylon



**TEMPERATURE OF USE**  
-20°C / +35°C



**SIZE**  
Universal-adjustable  
from 52 to 63 cm



**WEIGHT**  
480 g (helmet)



**STANDARD | HELMET**  
EN 12492



**CATEGORY: II**

**STANDARD | EARMUFFS**

EN 352-3  
ANSI S3.19



**CATEGORY: III**

**STANDARD | VISOR**

EN 1731  
ANSI Z87.1



**CATEGORY: II**

ORDER LOGISTICS

**MASTERBOX**  
8 pieces

**DIMENSIONS**  
82 x 54 x 47 cm

**WEIGHT**  
14 kg

KASK DURABILITY

**3** YEAR  
GUARANTEE

**10** YEAR  
LIFE SPAN

# PRIMERO

— 52

Our commitment to safety, comfort, and design enabled the development of a helmet that makes it easy for anyone to experience advanced head protection.





# OVERVIEW OF TECHNOLOGIES.

**POLYPROPYLENE HD EXTERNAL SHELL**

Lightweight external shell with exponential better performance. Excels in impact absorption, especially at lower temperatures (-30°C). Resists yellowing and degradation.

**POLYSTYRENE HD INTERNAL SHELL**

Inner shell composed of high-density foam for all-around impact energy absorption and improved comfort.

**ERGO FIT SYSTEM**

Helmet size adjusting system that allows for an easy and secure fit by turning the largediameter dial. The system moves up and down to adapt to a range of head shapes. The ergonomically shaped wings cradle the back of the neck for added comfort.

**ADVANCED LITE CHINSTRAP**

Chinstrap with 5 adjustment points for a personalized fit. Accommodates wider head sizes and adapts to earmuff use. Color-coded fasteners indicate EN standard compliance rating.



# FEATURES.



**FRONT ATTACHMENT POINT**

Holds accessories such as badges and headlamps.



**RING TO HOOK**

Chinstrap loop that securely attaches helmet to a harness.



**CLICK-IN SYSTEM**

Attachment system that lets padding easily snap in and out.



2DRY

**2DRY LINER**

Moisture-wicking fabric technology for all-day comfort.





### EARMUFF ATTACHMENT SLOTS

Designed with integrated slots for attaching earmuffs



### ELECTRIC SHOCK PROTECTION

Protection against electric hazards.



### VENTILATION CHANNELS

14 air intakes shaped for preventing debris entry.



### EARPLUG HOOKS

Lamp clips with secure earplug holders for easy access.



### LATERAL ADJUSTMENT DIVIDER

Side regulator point for adjustment and positioning of chinstrap.



# PRIMERO

Advanced head protection made easy.

WHE00111  
EN 397 - EN 50365



— 58



WHE00111-201  
WHITE



WHE00111-202  
YELLOW



WHE00111-203  
ORANGE



WHE00111-204  
RED



WHE00111-205  
GREEN



WHE00111-206  
BRITISH GREEN  
(made-to-order)



WHE00111-207  
ROYAL  
(made-to-order)



WHE00111-208  
BLUE



WHE00111-210  
BLACK



WHE00111-209  
ANTHRACITE  
(made-to-order)



WHE00111-215  
LIGHT GREY  
(made-to-order)

## FEATURED TECHNOLOGIES

POLYPROPYLENE  
HD EXTERNAL  
SHELLHD EPS INTERNAL  
SHELLCLICK-IN  
SYSTEM2DRY  
LINER

ERGO FIT SYSTEM

ADVANCED LITE  
CHINSTRAPLATERAL  
ADJUSTMENT  
DIVIDEREARMUFF  
ATTACHMENT  
SLOTSRING  
TO HOOKEARPLUG  
HOOKSFRONT  
ATTACHMENT  
POINTREPLACEABLE  
LAMP CLIPSNECK PROTECTOR  
SLOTEASY CLICK  
SYSTEMELECTRICAL SHOCK  
PROTECTIONELECTRICAL  
INSULATION

## TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:  
HD PolypropyleneINTERNAL SHELL:  
HD Expanded Polystyrene

HEADBAND: Soft PA Nylon

**SIZE**Universal-adjustable  
from 52 to 63 cm**WEIGHT**

460 g

**CATEGORY**

III

**STANDARD**

EN 397

EN 50365 (Class 0)

Protection against top, front, rear and  
side impacts in conformity  
with EN 12492Clauses 4.2.1 shock energy absorption  
capacity

Clause 4.2.2 penetration

EN 397 additional tests:  
440V a.c. / -30°C / LD / MM

CE 2008 UK 8503

**TEMPERATURE OF USE**

-30°C / +50°C

## ORDER LOGISTICS

**MASTERBOX**  
24 pieces**DIMENSIONS**  
79,5 x 58 x 49 cm**WEIGHT**  
17 kg

## KASK DURABILITY

**3** YEAR  
GUARANTEE**10** YEAR  
LIFE SPAN

**KASK**

# PRIMERO HI VIZ

Advanced head protection made easy. Available in high-visibility color options.

WHE00112  
EN 397 - EN 50365



— 60



WHE00112-201  
WHITE



WHE00112-221  
YELLOW FLUO



WHE00112-222  
ORANGE FLUO  
(made-to-order)

## FEATURED TECHNOLOGIES

POLYPROPYLENE  
HD EXTERNAL  
SHELLHD EPS INTERNAL  
SHELLCLICK-IN  
SYSTEMZDRY  
LINER

ERGO FIT SYSTEM

ADVANCED LITE  
CHINSTRAPLATERAL  
ADJUSTMENT  
DIVIDEREARMUFF  
ATTACHMENT  
SLOTSRING  
TO HOOKEARPLUG  
HOOKSFRONT  
ATTACHMENT  
POINTREPLACEABLE  
LUMINESCENT  
LAMP CLIPSNECK PROTECTOR  
SLOTEASY CLICK  
SYSTEMHI VIZ REFLECTIVE  
DECALSPOLYPROPYLENE  
HI-VIZ HD  
EXTERNAL SHELLELECTRICAL SHOCK  
PROTECTIONELECTRICAL  
INSULATION

## TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:  
HD PolypropyleneINTERNAL SHELL:  
HD Expanded Polystyrene

HEADBAND: Soft PA Nylon

**SIZE**Universal-adjustable  
from 52 to 63 cm**WEIGHT**

460 g

**CATEGORY**

III

**STANDARD**

EN 397

EN 50365 (Class 0)

Protection against top, front, rear and  
side impacts in conformity  
with EN 12492  
Clauses 4.2.1 shock energy absorption  
capacity  
Clause 4.2.2 penetrationEN 397 additional tests:  
440V a.c. / -30°C / LD / MM

CE 2008 UK 8503

**TEMPERATURE OF USE**

-30°C / +50°C

## ORDER LOGISTICS

**MASTERBOX**  
24 pieces**DIMENSIONS**  
79,5 x 58 x 49 cm**WEIGHT**  
17 kg

## KASK DURABILITY

**3** YEAR  
GUARANTEE**10** YEAR  
LIFE SPAN

# PRIMERO AIR

Advanced vented head protection made easy.

WHE00113  
EN 397 - EN 50365



— 62



WHE00113-201  
WHITE



WHE00113-202  
YELLOW



WHE00113-203  
ORANGE



WHE00113-204  
RED



WHE00113-205  
GREEN



WHE00113-206  
BRITISH GREEN  
(made-to-order)



WHE00113-207  
ROYAL  
(made-to-order)



WHE00113-208  
BLUE



WHE00113-210  
BLACK



WHE00113-209  
ANTHRACITE  
(made-to-order)



WHE00113-215  
LIGHT GREY  
(made-to-order)

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS



**MATERIAL**  
EXTERNAL SHELL:  
HD Polypropylene

INTERNAL SHELL:  
HD Expanded Polystyrene

HEADBAND: Soft PA Nylon



**SIZE**  
Universal-adjustable  
from 52 to 63 cm



**WEIGHT**  
460 g



**STANDARD**  
EN 397

EN 50365 (Class 0)

Protection against top, front, rear and side impacts in conformity with EN 12492

Clause 4.2.1 shock energy absorption capacity

Clause 4.2.2 penetration

Clause 4.1.4 ventilation

EN 397 additional tests:  
-30°C / LD / MM

CE 2008 UK 8503



**TEMPERATURE OF USE**  
-30°C / +50°C



**CATEGORY**  
III

## ORDER LOGISTICS

**MASTERBOX**  
24 pieces

**DIMENSIONS**  
79,5 x 58 x 49 cm

**WEIGHT**  
17 kg

## KASK DURABILITY

**3 YEAR**  
GUARANTEE

**10 YEAR**  
LIFE SPAN

**KASK**

# PRIMERO AIR HI VIZ

Advanced vented head protection made easy. Available in high-visibility color options.

WHE00114  
EN 397 - EN 50365



— 64



WHE00114-201  
WHITE




WHE00114-221  
YELLOW FLUO



WHE00114-222  
ORANGE FLUO  
(made-to-order)



## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS

**MATERIAL**

EXTERNAL SHELL:  
HD Polypropylene

INTERNAL SHELL:  
HD Expanded Polystyrene

HEADBAND: Soft PA Nylon

**SIZE**

Universal-adjustable  
from 52 to 63 cm

**WEIGHT**

460 g

**STANDARD**

EN 397

EN 50365 (Class 0)

Protection against top, front, rear and side impacts in conformity with EN 12492

Clause 4.2.1 shock energy absorption capacity

Clause 4.2.2 penetration

Clause 4.1.4 ventilation

EN 397 additional tests:

-30°C / LD / MM

**TEMPERATURE OF USE**

-30°C / +50°C

**CATEGORY**

III

CE 2008 UK 8503

## ORDER LOGISTICS

**MASTERBOX**  
24 pieces

**DIMENSIONS**  
79,5 x 58 x 49 cm

**WEIGHT**  
17 kg

## KASK DURABILITY

**3 YEAR**  
GUARANTEE

**10 YEAR**  
LIFE SPAN

# PRIMERO PL

Advanced head protection made easy meets the EN mountaineering standard.

WHE00115  
EN 12492



— 66



WHE00115-201  
WHITE



WHE00115-202  
YELLOW



WHE00115-203  
ORANGE



WHE00115-204  
RED



WHE00115-206  
BRITISH GREEN  
(made-to-order)



WHE00115-210  
BLACK




WHE00115-209  
ANTHRACITE  
(made-to-order)



WHE00115-215  
LIGHT GREY  
(made-to-order)

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS

**MATERIAL**

EXTERNAL SHELL:  
HD Polypropylene

INTERNAL SHELL:  
HD Expanded Polystyrene

HEADBAND: Soft PA Nylon

**SIZE**

Universal-adjustable  
from 52 to 63 cm

**WEIGHT**

460 g

**STANDARD**

EN 12492

Protection against top impacts and penetration in conformity with EN 397 Clause 5.1.1 Protection against top impacts

Clause 5.1.2 Protection against penetration  
Clause 5.1.3 Flame resistance

EN 397 additional tests:  
-30°C / LD / MM

**TEMPERATURE OF USE**

-30°C / +50°C

**CATEGORY**

II



## ORDER LOGISTICS

**MASTERBOX**  
24 pieces

**DIMENSIONS**  
79,5 x 58 x 49 cm

**WEIGHT**  
17 kg

## KASK DURABILITY

**3 YEAR**  
GUARANTEE

**10 YEAR**  
LIFE SPAN

**KASK**

# PRIMERO PL HI VIZ

Advanced head protection made easy meets the EN mountaineering standard.  
Available in high-visibility color options.

WHE00116  
EN 12492



— 68



WHE00116-201  
WHITE




WHE00116-221  
YELLOW FLUO



WHE00116-222  
ORANGE FLUO  
(made-to-order)

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:  
HD PolypropyleneINTERNAL SHELL:  
HD Expanded Polystyrene

HEADBAND: Soft PA Nylon

**SIZE**Universal-adjustable  
from 52 to 63 cm**WEIGHT**

460 g

**STANDARD**

EN 12492

Protection against top impacts and penetration in conformity with EN 397  
Clause 5.1.1 Protection against top impacts  
Clause 5.1.2 Protection against penetration  
Clause 5.1.3 Flame resistance**TEMPERATURE OF USE**

-30°C / +50°C

**CATEGORY**

II

EN 397 additional tests:  
-30°C / LD / MM

## ORDER LOGISTICS

**MASTERBOX**  
24 pieces**DIMENSIONS**  
79,5 x 58 x 49 cm**WEIGHT**  
17 kg

## KASK DURABILITY

**3 YEAR**  
GUARANTEE**10 YEAR**  
LIFE SPAN

KASK

# SUPERPLASMA

– 70

With a globally recognized design that signals KASK, these helmets enable workers to perform with confidence in a variety of demanding applications.

R130



KASK

# OVERVIEW OF TECHNOLOGIES.

**2DRY LINER**

A quick-drying technical fabric that accelerates the dispersion of sweat and moisture to the surface of the helmet padding for a dryer, more comfortable wear.

**QUICK FIT SYSTEM**

Size adjustment system for maximum stability, easy to use thanks to a large diameter wheel.

**VENTILATION CHANNELS**

Helmet designed with 10 air intakes that maximize internal airflow through outflow channels providing exceptional helmet breathability.





# FEATURES.



## INTEGRATED LAMP CLIPS

Designed with 4 built-in, nylon lamp attachment points. Compatible with KASK headlamps and other headlamps with elastic bands.



## DETACHABLE INNER PADDING

Hook-and-loop-enabled for easy removal, replacement, and washing.



## HD POLYPROPYLENE EXTERNAL SHELL

Offers high impact resistance and lighter weight.



### ANTI-INTRUSION MESH

Metal mesh vent covers that prevent debris from entering the ventilation channels while maintaining breathability.



### EARMUFF ADAPTER ATTACHMENT POINTS

Helmet designed with attachment points for earmuff adapters.



### VISOR ATTACHMENT POINTS

Helmet designed with attachment points for securing KASK eye protection accessories.



### LATERAL ADJUSTMENT DIVIDER

Side adjustment points on chinstrap for secure fit.



**KASK**

# SUPERPLASMA AQ

The global benchmark for quality, safety, and design.

WHE00104  
EN 397



— 76



WHE00104-201  
WHITE



WHE00104-202  
YELLOW



WHE00104-203  
ORANGE



WHE00104-204  
RED



WHE00104-205  
GREEN



WHE00104-206  
BRITISH GREEN



WHE00104-207  
ROYAL



WHE00104-208  
BLUE



WHE00104-210  
BLACK



WHE00104-214  
PINK

## FEATURED TECHNOLOGIES



QUICK FIT SYSTEM



2DRY LINER



RING TO HOOK

EARMUFF ADAPTER  
ATTACHMENT  
POINTSANTI-INTRUSION  
MESHVENTILATION  
CHANNELSVISOR  
ATTACHMENT  
POINTSINTEGRATED LAMP  
CLIPS

## TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:  
HD PolypropyleneINTERNAL SHELL:  
HD Expanded PolystyreneHEADBAND:  
Soft PA Nylon**SIZE**Universal-adjustable  
from 51 to 63 cm**WEIGHT**

390 g

**STANDARD**

EN 397

Protection against front, rear and side  
impacts in conformity with EN 12492  
Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock  
energy absorption capacity  
Clause 4.2.2 Penetration  
Clause 4.1.4 VentilationEN 397 additional tests:  
-30°C / LD / MM**TEMPERATURE OF USE**

-30°C / +50°C

**CATEGORY**

II

## ORDER LOGISTICS

**MASTERBOX**  
24 pieces**DIMENSIONS**  
82 x 54 x 47 cm**WEIGHT**  
14 kg

## KASK DURABILITY

**3** YEAR  
GUARANTEE**10** YEAR  
LIFE SPAN

**KASK**

# SUPERPLASMA AQ HI VIZ

The global benchmark for quality, safety, and design.  
Available in high-visibility color options.

WHE00105  
EN 397



— 78



WHE00105-201  
WHITE



WHE00105-208  
BLUE



WHE00105-210  
BLACK



WHE00105-221  
YELLOW FLUO



WHE00105-222  
ORANGE FLUO



WHE00105-223  
RED FLUO



WHE00105-224  
LIME FLUO



WHE00105-241  
WHITE/RED



WHE00105-251  
BLUE/YELLOW



WHE00105-253  
WHITE/GREEN

## FEATURED TECHNOLOGIES



QUICK FIT SYSTEM



2DRY LINER



RING TO HOOK

EARMUFF ADAPTER  
ATTACHMENT  
POINTSANTI-INTRUSION  
MESHVENTILATION  
CHANNELSVISOR  
ATTACHMENT  
POINTSINTEGRATED  
LUMINESCENT  
LAMP CLIPS

HI-VIZ DETAILS



## TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:  
HD PolypropyleneINTERNAL SHELL:  
HD Expanded PolystyreneHEADBAND:  
Soft PA Nylon**SIZE**Universal-adjustable  
from 51 to 63 cm**WEIGHT**

390 g

**STANDARD**

EN 397

Protection against front, rear and side  
impacts in conformity with EN 12492  
Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock  
energy absorption capacity  
Clause 4.2.2 Penetration  
Clause 4.1.4 VentilationEN 397 additional tests:  
-30°C / LD / MMCE UK  
CA**TEMPERATURE OF USE**

-30°C / +50°C

**CATEGORY**

II

## ORDER LOGISTICS

**MASTERBOX**  
24 pieces**DIMENSIONS**  
82 x 54 x 47 cm**WEIGHT**  
14 kg

## KASK DURABILITY

**3** YEAR  
GUARANTEE**10** YEAR  
LIFE SPAN

**KASK**

# SUPERPLASMA HP

Designed for demanding environments that require High Performance standards.

WHE00106  
EN 14052



— 80



WHE00106-201  
WHITE



WHE00106-202  
YELLOW



WHE00106-204  
RED



## FEATURED TECHNOLOGIES



QUICK FIT SYSTEM



2DRY LINER



RING TO HOOK

EARMUFF ADAPTER  
ATTACHMENT  
POINTSVENTILATION  
CHANNELSVISOR  
ATTACHMENT  
POINTSINTEGRATED LAMP  
CLIPS

## TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:  
ABSINTERNAL SHELL:  
HD Expanded PolystyreneHEADBAND:  
Soft PA Nylon**SIZE**Universal-adjustable  
from 51 to 63 cm**WEIGHT**

450 g

**STANDARD**

EN 14052

Protection against front, rear and side  
impacts in conformity with EN 12492  
Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4 shock  
energy absorption capacityProtection from impacts and penetration  
in conformity with EN 397Clause 5.1.1 Shock Absorption  
Clause 5.1.2 Penetration Resistance

EN 397 additional tests: LD

**TEMPERATURE OF USE**

-10°C / +50°C

**CATEGORY**

II



## ORDER LOGISTICS

**MASTERBOX**  
24 pieces**DIMENSIONS**  
82 x 54 x 47 cm**WEIGHT**  
16 kg

## KASK DURABILITY

**3** YEAR  
GUARANTEE**10** YEAR  
LIFE SPAN

# SUPERPLASMA HP VISOR

Designed for demanding environments that require High Performance standards.  
Available in high-visibility color options with preinstalled visor.

WHE00107  
EN 14052



— 82



WHE00107-201  
WHITE



WHE00107-202  
YELLOW



WHE00107-204  
RED

## INCLUDES



WV00018-500  
V2 PLUS CLEAR



WAC00026  
DRAWSTRING  
HELMET BAG

## FEATURED TECHNOLOGIES



QUICK FIT SYSTEM



2DRY LINER



RING TO HOOK

EARMUFF ADAPTER  
ATTACHMENT  
POINTSVENTILATION  
CHANNELSVISOR  
ATTACHMENT  
POINTSINTEGRATED  
LUMINESCENT  
LAMP CLIPSHI-VIZ REFLECTIVE  
DETAILS

## TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:  
ABSINTERNAL SHELL:  
HD Expanded PolystyreneHEADBAND:  
Soft PA Nylon**SIZE**Universal-adjustable  
from 51 to 63 cm**WEIGHT**

450 g (helmet)

**CATEGORY**

II

**TEMPERATURE OF USE**

-10°C / +50°C

**STANDARD | HELMET**

EN 14052

Protection against front, rear and  
side impacts in conformity with  
EN 12492Clauses 4.2.1.2, 4.2.1.3, 4.2.1.4  
shock energy absorption capacityProtection from impacts and  
penetration in conformity with  
EN 397Clause 5.1.1 Shock Absorption  
Clause 5.1.2 Penetration Resistance

EN 397 additional tests: LD

**STANDARD |  
VISOR**EN 166 / EN 14458  
EN 170 (clear)  
ANSI Z87.1

## ORDER LOGISTICS

**MASTERBOX**  
12 pieces**DIMENSIONS**  
61 x 47 x 69 cm**WEIGHT**  
12 kg

## KASK DURABILITY

**3** YEAR  
GUARANTEE**10** YEAR  
LIFE SPAN

**KASK**

# SUPERPLASMA PL

The preferred choice for active and above-ground applications.

WHE00108  
EN 12492



— 84



WHE00108-201  
WHITE



WHE00108-202  
YELLOW



WHE00108-203  
ORANGE



WHE00108-204  
RED



WHE00108-208  
BLUE



WHE00108-209  
ANTHRACITE



WHE00108-210  
BLACK



WHE00108-214  
PINK

## FEATURED TECHNOLOGIES

UP & DOWN  
SYSTEM2DRY  
LINER

RING TO HOOK

EARMUFF ADAPTER  
ATTACHMENT  
POINTSANTI-INTRUSION  
MESHVENTILATION  
CHANNELSVISOR  
ATTACHMENT  
POINTSINTEGRATED LAMP  
CLIPS

## TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:  
HD PolypropyleneINTERNAL SHELL:  
HD Expanded PolystyreneHEADBAND:  
Soft PA Nylon**SIZE**Universal-adjustable  
from 51 to 62 cm**STANDARD**

EN 12492

CE UK  
CA**WEIGHT**

420 g

**TEMPERATURE OF USE**

-20°C / +35°C

**CATEGORY**

II

## ORDER LOGISTICS

**MASTERBOX**  
28 pieces**DIMENSIONS**  
82 x 54 x 47 cm**WEIGHT**  
17 kg

## KASK DURABILITY

**3** YEAR  
GUARANTEE**10** YEAR  
LIFE SPAN

**KASK**

# SUPERPLASMA PL HI VIZ

The preferred choice for active and above-ground applications.  
Available in high-visibility color options.

WHE00109  
EN 12492



— 86



WHE00109-201  
WHITE



WHE00109-210  
BLACK



WHE00109-221  
YELLOW FLUO



WHE00109-223  
RED FLUO



WHE00109-224  
LIME FLUO

## FEATURED TECHNOLOGIES



UP &amp; DOWN SYSTEM



2DRY LINER



RING TO HOOK



EARMUFF ADAPTER ATTACHMENT POINTS



ANTI-INTRUSION MESH



VENTILATION CHANNELS



VISOR ATTACHMENT POINTS



INTEGRATED LUMINESCENT LAMP CLIPS



HI-VIZ DETAILS



## TECHNICAL DETAILS

**MATERIAL**EXTERNAL SHELL:  
HD PolypropyleneINTERNAL SHELL:  
HD Expanded PolystyreneHEADBAND:  
Soft PA Nylon**SIZE**Universal-adjustable  
from 51 to 62 cm**STANDARD**

EN 12492

CE UK CA

**WEIGHT**

420 g

**TEMPERATURE OF USE**

-20°C / +35°C

**CATEGORY**

II

## ORDER LOGISTICS

**MASTERBOX**  
28 pieces**DIMENSIONS**  
82 x 54 x 47 cm**WEIGHT**  
17 kg

## KASK DURABILITY

**3** YEAR  
GUARANTEE**10** YEAR  
LIFE SPAN



KASK

# EYE & FACE PROTECTION

— 88

## SEE EASY

An advanced range of eye and face protection solutions designed to meet workers' needs for an expanding variety of dynamic hazardous environments.



# OVERVIEW OF SELECT STANDARDS FOR KASK EYE & FACE PROTECTION

## EUROPEAN STANDARDS

### EN 166

The core European safety standard required for eye and face protection. Includes a number of sub-categories.

#### SUPPLEMENTAL STANDARDS\*

- EN 167** – Optical test methods
- EN 168** – Non-optical test methods
- EN 169** – Welding filters and related techniques
- EN 170** – Ultraviolet (UV) filters
- EN 171** – Infrared filters
- EN 172** – Solar filters for industrial use
- EN 1731** – Mesh face protection
- EN 379** – Automatic welding filters
- DGUV GS ET29 / ET30** – Arc flash protection

#### MARKINGS\*

##### OPTICAL CLASS

- 1** – Best optical quality, for regular use
- 2** – Lesser optical quality, for occasional use
- 3** – Lowest optical quality, for exceptional use

##### LIGHT PROTECTION CODE

- NONE** – Welding filter
- 2** – Ultraviolet filter
- 2C** – Ultraviolet filter with good color recognition
- 4** – Infrared filter
- 5** – Solar filter
- 6** – Solar filter with infrared protection

##### LIGHT PROTECTION GRADUATION

- 1.2** – Clear
- 1.7** – Yellow, clear with mirror finishing, UVR
- 2.5** – Brown, smoke
- 3.1** – Green, smoke with mirror finishing
- 3,2,5,...11** – Welding

##### MECHANICAL PROTECTION

- A (T)** – Resistance to high speed/high energy impact
  - B (T)** – Resistance to high speed/medium energy impact
  - F (T)** – Resistance to high speed/low energy impact
  - S** – Increased robustness
- A, B, or F, followed by T, indicates extreme temperature impact protection (-5°C / +55°C)

##### FIELD OF USE

- 3** – Protection against liquid droplets, splashes
- 4** – Protection against large dust particles
- 5** – Protection against fine dust particles
- 8** – Protection against short circuit electric arcs
- 9** – Protection against molten metal and hot solids

##### OPTIONAL REQUIREMENTS

- K** – Protection against fine dust particles
- N** – Resistance to lens fogging
- H** – Products designed for small heads
- R** – Enhanced infrared reflectance

### EN 14458

A European standard for high performance visors used with protective helmets for firefighting, ambulance and emergency services.

#### MARKINGS\*

##### CLASSIFICATION

- =** – General use
- +** – Firefighter use
- NONE** – Net visors

##### PROTECTED AREA

- ☺ – Face protection
- ☉ – Eye protection

##### MECHANICAL & LIGHT PROTECTION

(same as per EN166)

## AMERICAN STANDARDS

### ANSI Z87.1

The U.S. safety standard for testing, marking, and maintaining eye and face protection – includes sub-categories.

#### SUPPLEMENTAL STANDARDS\*

- ASTM F2178** – Arc flash protection

#### MARKINGS\*

##### MECHANICAL PROTECTION

- Z87** – General lens and frame impact resistance
- Z87+** – Impact mark

##### FILTER PERFORMANCE

- NONE** – Clear lens
- U** – Ultraviolet filter
- V** – Variable tint filter
- W** – Welding filter
- L** – Visible light filter
- R** – Infrared filter
- X** – Anti-fog filter
- S** – Special purpose lenses

Symbols are followed by a number, indicating filter performance level

##### FIELD OF USE

- D3** – Protection against droplets, splashes
- D4** – Protection against dust
- D5** – Protection against fine dust

\* There are a number of standards and markings for eye and face protection. Selected ones are described here. Contact a KASK representative for additional information.

# MARKINGS OVERVIEW.

		<b>STANDARDS</b> **ADDITIONAL ANSI / CSA TESTING	<b>VLT</b>	<b>COMPATIBLE HELMETS</b>
<b>ZEN VISOR</b>	CLEAR	EN 166 - EN 170 - ANSI Z87.1	89%	ZENITH X / PRIMERO
	SMOKE	EN 166 - EN 172 - ANSI Z87.1	65%	ZENITH X / PRIMERO
	SILVER MIRROR	EN 166 - EN 172 - ANSI Z87.1	26%	ZENITH X / PRIMERO
<b>ZEN FOAM</b>	CLEAR	EN 166 - EN 170 - ANSI Z87.1	89%	ZENITH X / PRIMERO
	SMOKE	EN 166 - EN 172 - ANSI Z87.1	65%	ZENITH X / PRIMERO
	SILVER MIRROR	EN 166 - EN 172 - ANSI Z87.1	26%	ZENITH X / PRIMERO
<b>ZEN VISOR MM   PM</b>	METAL MESH	EN 166 - EN 1731 - ANSI Z87.1	-	ZENITH X / PRIMERO
	PLASTIC MESH	EN 166 - EN 1731 - ANSI Z87.1	-	ZENITH X / PRIMERO
<b>ZEN FF VISOR</b>	CLEAR	EN 166 - EN 170 - ANSI Z87.1	90%	ZENITH X / PRIMERO
	SMOKE	EN 166 - EN 170 - ANSI Z87.1	22%	ZENITH X / PRIMERO
<b>ZEN FACE SHIELD</b>	CLEAR	EN 166 - ANSI Z87.1	90%	ZENITH X / PRIMERO
<b>ARC VISOR CLASS 1</b>	CLEAR	ISO 16321 - DGUV GS ET29	88%	ZENITH X / PRIMERO
<b>ARC VISOR CLASS 2 ERGO</b>	SMOKE	ISO 16321 - DGUV GS ET29 **ASTM F2178: ATPV 12.0 cal/cm <sup>2</sup> ARC 2	43%	ZENITH X / PRIMERO
<b>V2 PLUS VISOR</b>	CLEAR	EN 166 - EN 14458 - EN 170 - ANSI Z87.1	85%	SUPERPLASMA AQ   HP   PL
	SMOKE	EN 166 - EN 14458 - EN 172 - ANSI Z87.1	62.5%	SUPERPLASMA AQ   HP   PL
	SILVER MIRROR	EN 166 - EN 14458 - EN 172 - ANSI Z87.1	26.5%	SUPERPLASMA AQ   HP   PL
<b>FULL FACE VISOR</b>	CLEAR	EN 166 - EN 170 - ANSI Z87.1	88%	SUPERPLASMA AQ   HP   PL
	SMOKE	EN 166 - EN 172 - ANSI Z87.1	37%	SUPERPLASMA AQ   HP   PL
	SILVER MIRROR	EN 166 - EN 172 - ANSI Z87.1	32%	SUPERPLASMA AQ   HP   PL
<b>MESH VISOR</b>	STEEL MESH	EN 166 - EN 1731 - ANSI Z87.1	-	SUPERPLASMA AQ   HP   PL
<b>FACE SHIELD</b>	CLEAR	EN 166 - ANSI Z87.1	90%	SUPERPLASMA AQ   HP   PL

CATEGORY	LIGHT PROTECTION & GRADUATION	OPTICAL CLASS	MECHANICAL PROTECTION	OPTIONAL PROTECTION	FIELDS OF USE	ELECTRICAL ARC PROTECTION	CLASS	TRANSMISSION CLASS	CLASSIFICATION	PROTECTED AREA	EXTREME TEMPERATURE	ABRASION RESISTANCE	MOLTEN METAL/SOLID LIQUID	IMPACT RESISTANCE	UV FILTER	VISIBLE LIGHT FILTER	ANTI-FOGGING	SPLASH/DROPLETS PROTECTION
----------	-------------------------------	---------------	-----------------------	---------------------	---------------	---------------------------	-------	--------------------	----------------	----------------	---------------------	---------------------	---------------------------	-------------------	-----------	----------------------	--------------	----------------------------

## EN 166

## DGVV GS

## EN 14458

## ANSI Z87.1

II	2C-1.2	1	BT	KN	-	-	-	-	-	-	-	-	-	+	U6	-	X	D3
II	5-1.4	1	BT	KN	-	-	-	-	-	-	-	-	-	+	U6	L1.5	X	D3
II	5-2.5	1	BT	KN	-	-	-	-	-	-	-	-	-	+	U6	L2.5	X	D3
II	2C-1.2	1	BT	KN	-	-	-	-	-	-	-	-	-	+	U6	-	X	D3
II	5-1.4	1	BT	KN	-	-	-	-	-	-	-	-	-	+	U6	L1.5	X	D3
II	5-2.5	1	BT	KN	-	-	-	-	-	-	-	-	-	+	U6	L2.5	X	D3
II	-	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II	-	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II	2C-1.2	1	BT	KN	3-9	-	-	-	-	-	-	-	-	+	U6	-	X	D3
II	5-2.5	1	BT	KN	3-9	-	-	-	-	-	-	-	-	+	U6	L2.5	X	D3
II	-	1	F	-	3	-	-	-	-	-	-	-	-	-	-	-	-	D3
III	UL1.2*	-	E*	-	6*	8	1	0	-	-	-	-	-	-	U6	-	-	-
III	UL2*	-	E*	-	6-9*	8	2	2	-	-	-	-	-	-	U6	-	-	-
II	2C-1.2	1	BT	KN	-	-	-	-	=	-	-30°C / +50°C	YES	YES	+	U6	-	X	D3
II	5-1.4	1	BT	KN	-	-	-	-	=	-	-30°C / +50°C	YES	YES	+	U6	L1.5	X	D3
II	5-2.5	1	BT	KN	-	-	-	-	=	-	-30°C / +50°C	YES	YES	+	U6	L2.5	X	D3
II	2C-1.2	2	BT	KN	3-9	-	-	-	-	-	-	-	-	+	-	-	X	D3
II	5-2	2	BT	KN	3-9	-	-	-	-	-	-	-	-	+	U6	L2	X	D3
II	5-2	2	BT	KN	3-9	-	-	-	-	-	-	-	-	+	U6	L2	X	D3
II	-	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II	-	1	F	-	3	-	-	-	-	-	-	-	-	-	-	-	-	D3

\* Corresponds to standard ISO 16321

# OVERVIEW OF TECHNOLOGIES.

**ABRASION AND DUST RESISTANCE**

Lens treatment designed with protection from abrasion and dust or increased durability and viewing clarity.

**CUT PROOF EDGE**

Eye shield edge detail designed with a cut proof edge for enhanced wearer safety.

**ANTI-FOG**

Equipped with an anti-fog treatment to increase wearer visibility when active and in a variety of conditions.

**DEBRIS PROTECTION**

Designed with a reinforced frame for protection against debris.

**COMPATIBLE WITH GLASSES**

Designed for use over corrective glasses.

**DRIP PROOF UPPER CONTOUR**

Rubber edge protects eyes from liquid and debris from entering the visor.

**> CRI 95**

Designed with excellent Color Rendering Index performance for greater color contrast and visibility.

**EXTREME TEMP IMPACT RESISTANCE**

Able to withstand impacts at extreme temperatures for use in a variety of environments.



### HEXAGONAL MESH

Hexagonal matrix pattern enables airflow, visibility, and durability.



### SEE-THROUGH CHIN PROTECTION

Equipped with transparent chin protection for enhanced range of worksite visibility.



### MICRO VENTILATION

Provides airflow and breathability while resisting debris intrusion.



### STABLE CARRIER

Reinforced face shield carrier for added protection and durability.



### PANORAMIC LENS

Developed to maximize visibility with minimal viewing distortion.



### ANTI-INTRUSION GUARDS

High-comfort, polyurethane foam that protects from dust, liquid, and chemical splashes.



### SCRATCH RESISTANCE

Equipped with a scratch-resistant treatment for increased durability.



## ZEN VISOR

WVI00007

EN 166 - EN 170 (clear) - EN 172 (smoke, silver mirror) - ANSI Z87.1



### OPTIONS



WVI00007-500  
CLEAR



WVI00007-510  
SMOKE



WVI00007-520  
SILVER MIRROR

### COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

ALL VISORS NEED ADAPTERS (WAC00009) TO BE MOUNTED ON HELMET.

### TECHNICAL DETAILS

<b>MATERIAL</b> Polycarbonate	<b>STANDARD</b> EN 166 EN 170 (clear) EN 172 (smoke) ANSI Z87.1
<b>OPTICAL CLASS</b> 1	<b>CE UK CA</b>
<b>WEIGHT</b> 80 g	<b>CATEGORY</b> II
<b>LENGTH</b> 110 mm	

### MARKINGS\* CLEAR

ZEN | YY/MM | CE | 2C-1,2 | KASK | 1BTKN | EN 166BT | ANSI Z87+ U6 X D3

\*VLT differs for smoke

### ORDER LOGISTICS

<b>MASTERBOX DIMENSIONS</b>	36 pieces 78 x 48 x 50 cm
<b>WEIGHT</b>	10 kg

### FEATURED TECHNOLOGIES



ANTI-FOG    SCRATCH RESISTANT    PANORAMIC LENS    CUT PROOF EDGE    DRIP PROOF UPPER CONTOUR



COMPATIBLE WITH GLASSES    EASY CLICK ADAPTERS

ZENITH X | PRIMERO KIT

## ZEN VISOR KIT

WKI00002

EN 166 - EN 170 (clear) - EN 172 (smoke, silver mirror) - ANSI Z87.1



### OPTIONS



WKI00002-500  
KIT ZEN VISOR  
CLEAR



WKI00002-510  
KIT ZEN VISOR  
SMOKE



WKI00002-520  
KIT ZEN VISOR  
SILVER MIRROR

### KIT INCLUDES



=



WVI00007-500  
CLEAR



WAC00009  
ADAPTERS

### TECHNICAL DETAILS

<b>MATERIAL</b> Polycarbonate	<b>STANDARD</b> EN 166 EN 170 (clear) EN 172 (smoke) ANSI Z87.1
<b>OPTICAL CLASS</b> 1	<b>CE UK CA</b>
<b>WEIGHT</b> 80 g	<b>CATEGORY</b> II
<b>LENGTH</b> 110 mm	

### MARKINGS\* CLEAR

ZEN | YY/MM | CE | 2C-1,2 | KASK | 1BTKN | EN 166BT | ANSI Z87+ U6 X D3

\*VLT differs for smoke

### ORDER LOGISTICS

<b>MASTERBOX DIMENSIONS</b>	36 pieces 78 x 48 x 50 cm
<b>WEIGHT</b>	10 kg

### FEATURED TECHNOLOGIES



ANTI-FOG    SCRATCH RESISTANT    PANORAMIC LENS    CUT PROOF EDGE    DRIP PROOF UPPER CONTOUR



COMPATIBLE WITH GLASSES    EASY CLICK ADAPTERS

ZENITH X | PRIMERO

## ZEN FF VISOR

WVI00008

EN 166 - EN 170 (clear) - EN 172 (smoke) - ANSI Z87.1



## OPTIONS

WVI00008-500  
CLEARWVI00008-510  
SMOKE

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

ALL VISORS NEED ADAPTERS (WAC00009) AND VISOR CARRIER (WAC00010) TO BE MOUNTED ON HELMET.

## TECHNICAL DETAILS

<b>MATERIAL</b> Polycarbonate	<b>STANDARD</b> EN 166 EN 170 (clear) EN 172 (smoke) ANSI Z87.1
<b>OPTICAL CLASS</b> 1	

**WEIGHT**  
120 g**LENGTH**  
190 mm**CATEGORY**  
II

## MARKINGS\* CLEAR

ZEN FF | YY/MM | CE | 2C - 1,2 | KASK | 1 | BT | 3 | 9 |  
KN | ANSI Z87+ U6 X D3

\*VLT differs for smoke

## ORDER LOGISTICS

<b>MASTERBOX DIMENSIONS</b>	24 pieces 78 x 48 x 50 cm
<b>WEIGHT</b>	8 kg

## FEATURED TECHNOLOGIES



ANTI-FOG    SCRATCH RESISTANT    PANORAMIC LENS    DEBRIS PROTECTION    COMPATIBLE WITH GLASSES



EASY CLICK ADAPTERS    CUT PROOF EDGE    DRIP PROOF UPPER CONTOUR

ZENITH X | PRIMERO KIT

## ZEN FF VISOR KIT

WKI00003

EN 166 - EN 170 (clear) - EN 172 (smoke, silver mirror) - ANSI Z87.1



## OPTIONS

WKI00003-500  
KIT ZEN VISOR CLEARWKI00003-510  
KIT ZEN VISOR SMOKE

## KIT INCLUDES

WVI00008-500  
CLEAR

=

WVI00008-500  
CLEARWAC00009  
ADAPTERSWAC00010  
VISOR CARRIER

## FEATURED TECHNOLOGIES



ANTI-FOG    SCRATCH RESISTANT    PANORAMIC LENS    DEBRIS PROTECTION    COMPATIBLE WITH GLASSES



EASY CLICK ADAPTERS    CUT PROOF EDGE    DRIP PROOF UPPER CONTOUR

## TECHNICAL DETAILS

<b>MATERIAL</b> Polycarbonate	<b>STANDARD</b> EN 166 EN 170 (clear) EN 172 (smoke) ANSI Z87.1
<b>OPTICAL CLASS</b> 1	

**WEIGHT**  
120 g**LENGTH**  
190 mm**CATEGORY**  
II

## MARKINGS\* CLEAR

ZEN FF | YY/MM | CE | 2C - 1,2 | KASK | 1 | BT | 3 | 9 |  
KN | ANSI Z87+ U6 X D3

\*VLT differs for smoke

## ORDER LOGISTICS

<b>MASTERBOX DIMENSIONS</b>	36 pieces 78 x 48 x 50 cm
<b>WEIGHT</b>	10 kg



## ZEN FOAM

WVI00032 - WVI00033  
EN 1731-ANSI Z87.1



### OPTIONS



WVI00032-500  
CLEAR | S



WVI00032-510  
SMOKE | S



WVI00032-520  
SILVER MIRROR | S



WVI00033-500  
CLEAR | M



WVI00033-510  
SMOKE | M



WVI00033-520  
SILVER MIRROR | M

### COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

ALL VISORS NEED ADAPTERS (WAC00009) TO BE MOUNTED ON HELMET.

### TECHNICAL DETAILS

**MATERIAL**  
Polycarbonate

**WEIGHT**  
90 g

**OPTICAL CLASS**  
1

**CATEGORY**  
II

**STANDARD**  
EN 166 / ANSI Z87.1  
EN 170 (clear)



**TEMPERATURE OF USE**  
-5°C / +55°C

### MARKINGS

ZEN FOAM | YY/MM | CE | UK CA | 2C-1,2 | KASK | 1BTKN | EN 166BT | ANSI Z87+ U6 X D3

### ORDER LOGISTICS

**MASTERBOX** 36 pieces  
**DIMENSIONS** 78 x 48 x 50 cm  
**WEIGHT** 10 kg

### FEATURED TECHNOLOGIES



ANTI-FOG



DRIP PROOF  
UPPER  
CONTOUR



ANTI-  
INTRUSION  
GUARDS



SCRATCH  
RESISTANT



PANORAMIC  
LENS



COMPATIBLE  
WITH  
GLASSES



EASY CLICK  
ADAPTERS

## ZEN FACE SHIELD

WVI00022  
EN 166 - ANSI Z87.1



### OPTIONS



WVI00022  
CLEAR

### COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

FACE SHIELD NEEDS ADAPTERS (WAC00009) AND VISOR CARRIER (WAC00010) TO BE MOUNTED ON HELMET.

### TECHNICAL DETAILS

**MATERIAL**  
Polycarbonate

**OPTICAL CLASS**  
1

**WEIGHT**  
70 g

**LENGTH**  
190 mm

**STANDARD**  
EN 166  
ANSI Z87.1



**CATEGORY**  
II

### MARKINGS

ZEN FS | YY/MM | CE | KASK | 1 F 3 | EN 166 | ANSI Z87 D3

### ORDER LOGISTICS

**MASTERBOX** 50 pieces  
**DIMENSIONS** 38 x 21 x 15 cm  
**WEIGHT** 5 kg

### FEATURED TECHNOLOGIES



ANTI-FOG



PANORAMIC  
LENS



COMPATIBLE  
WITH  
GLASSES



EASY CLICK  
ADAPTERS



ZENITH X | PRIMERO

## ZEN METAL MESH VISOR

WVI00009

EN 1731-ANSI Z87.1



## OPTIONS

WVI00009  
BLACK

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

MESH VISOR NEEDS ADAPTERS (WAC00009) AND VISOR CARRIER (WAC00010) TO BE MOUNTED ON HELMET.

## TECHNICAL DETAILS

**MATERIAL**  
Metal**STANDARD**  
EN 1731  
ANSI Z87.1**WEIGHT**  
100 g**LENGTH**  
190 mm**LIGHT TRANSMISSION**  
50%**CATEGORY**  
II

## MARKINGS

KASK | CE | EN 1731S - ANSI Z87 | ZEN | MM | MM/YYYY

## FEATURED TECHNOLOGIES



MICRO VENTILATION



DEBRIS PROTECTION



COMPATIBLE WITH GLASSES



EASY CLICK ADAPTERS

## ORDER LOGISTICS

**MASTERBOX** 24 pieces  
**DIMENSIONS** 78 x 48 x 50 cm  
**WEIGHT** 8 kg

ZENITH X | PRIMERO KIT

## ZEN METAL MESH KIT

WKI00005

EN 1731-ANSI Z87.1



## OPTIONS

WKI00005  
BLACK

## KIT INCLUDES

WVI00009  
BLACKWAC00009  
ADAPTERSWAC00010  
VISOR CARRIER

## FEATURED TECHNOLOGIES



MICRO VENTILATION



DEBRIS PROTECTION



COMPATIBLE WITH GLASSES



EASY CLICK ADAPTERS

## TECHNICAL DETAILS

**MATERIAL**  
Metal**STANDARD**  
EN 1731  
ANSI Z87.1**WEIGHT**  
100 g**LENGTH**  
190 mm**LIGHT TRANSMISSION**  
50%**CATEGORY**  
II

## MARKINGS

ZEN | YY/MM | CE | 2C-1,2 | KASK | 1BTKN | EN 166BT | ANSI Z87+ U6 X D3

\*VLT differs for smoke

## ORDER LOGISTICS

**MASTERBOX** 36 pieces  
**DIMENSIONS** 78 x 48 x 50 cm  
**WEIGHT** 10 kg

## ZEN PLASTIC MESH VISOR

WVI00010  
EN 1731-ANSI Z87.1



### OPTIONS



WVI00010  
BLACK

### COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

MESH VISOR NEEDS ADAPTERS (WAC00009) AND VISOR CARRIER (WAC00010) TO BE MOUNTED ON HELMET.

### TECHNICAL DETAILS

**MATERIAL**  
Plastic

**STANDARD**  
EN 1731  
ANSI Z87.1

**WEIGHT**  
70 g



**LENGTH**  
190 mm

**LIGHT TRANSMISSION**  
50%

**CATEGORY**  
II

### MARKINGS

KASK | CE | EN 1731S - ANSI Z87 | ZEN | PM | MM/YYYY

### FEATURED TECHNOLOGIES



MICRO VENTILATION



DEBRIS PROTECTION



COMPATIBLE WITH GLASSES



EASY CLICK ADAPTERS

### ORDER LOGISTICS

**MASTERBOX** 24 pieces  
**DIMENSIONS** 78 x 48 x 50 cm  
**WEIGHT** 8 kg

ZENITH X | PRIMERO KIT

## MOUNT KIT

WKI00009 | MOUNT KIT ZEN FF/MM/PM/FS



### KIT INCLUDES



### ORDER LOGISTICS

**MASTERBOX** 20 pieces  
**DIMENSIONS** 54 x 82 x 47 cm  
**WEIGHT** 7 kg

### COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

WKI00012 | BRIM KIT



### KIT INCLUDES



### ORDER LOGISTICS

**MASTERBOX** 24 pieces  
**DIMENSIONS** 49 x 79 x 52 cm  
**WEIGHT** 4 kg

### COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

ZENITH X CLOSED SHELL | PRIMERO CLOSED SHELL

## ARC VISOR CLASS 1

WVI00014

ISO 16321 - DGVV GS ET29



## OPTIONS

WVI00014  
CLEAR

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

ARC FLASH MOUNTS WITHOUT ANY ADAPTER.

## TECHNICAL DETAILS

**MATERIAL**  
Polycarbonate**STANDARD**  
ISO 16321-1  
DGVV GS-ET-29  
**GS-ET-29 (Box-Test)**  
Class 1 / APC 1**WEIGHT**  
300 g**LENGTH**  
245 mm**CATEGORY**  
III

## MARKINGS

16321 KASK UL1,2 E 6  
GS-ET-29 8-1-0 APC 1

## ORDER LOGISTICS

**MASTERBOX** 10 pieces  
**DIMENSIONS** 60 x 40 x 40 cm  
**WEIGHT** 4,5 kg

## FEATURED TECHNOLOGIES



ANTI-FOG PANORAMIC LENS COMPATIBLE WITH GLASSES SCRATCH RESISTANT DRIP PROOF UPPER CONTOUR



&gt; CRI 95 STABLE CARRIER ELECTRIC ARC PROTECTION

ZENITH X CLOSED SHELL | PRIMERO CLOSED SHELL

## ARC VISOR CLASS 2 ERGO

WVI00034

ISO 16321 - DGVV GS ET29 | ASTM F2178: ATPV 12.0 cal/cm<sup>2</sup> ARC 2

## OPTIONS

WVI00034  
SMOKE

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

ARC FLASH MOUNTS WITHOUT ANY ADAPTER.

## TECHNICAL DETAILS

**MATERIAL**  
Polycarbonate**STANDARD**  
ISO 16321-1  
DGVV GS-ET-29  
ANSI Z87.1  
ASTM F2178  
CSA Z94.3**WEIGHT**  
370 g**LENGTH**  
215 mm**GS-ET-29 (Box-Test)**  
Class 2 / APC 2**ATPV**  
12 cal/cm<sup>2</sup>, ARC 2**CATEGORY**  
III

## MARKINGS

16321 KASK UL2 E 6 9 / GS-ET-29 8-2-2 APC 2  
ATPV 12 cal/cm<sup>2</sup> / ANSI / ISEA Z87.1 KASK Z87 + U6  
CSA Z94.3 KASK 2.0

## ORDER LOGISTICS

**MASTERBOX** 8 pieces  
**DIMENSIONS** 60 x 40 x 40 cm  
**WEIGHT** 4,6 kg

## FEATURED TECHNOLOGIES



ANTI-FOG PANORAMIC LENS COMPATIBLE WITH GLASSES SCRATCH RESISTANT DRIP PROOF UPPER CONTOUR



&gt; CRI 95 STABLE CARRIER SEE-THROUGH CHIN PROTECTION ELECTRIC ARC PROTECTION



## V2 PLUS VISOR

WVI00018

EN 166 - EN 14458 - EN 170 (clear) - EN 172 (smoke, silver mirror) - ANSI Z87.1



### OPTIONS



WVI00018-500  
CLEAR



WVI00018-510  
SMOKE



WVI00018-520  
SILVER MIRROR

### COMPATIBLE WITH SERIES



SUPERPLASMA

SCREW SET FOR MOUNTING IS INCLUDED IN EVERY VISOR.



### TECHNICAL DETAILS

<b>MATERIAL</b> Polycarbonate	<b>STANDARD</b> EN 166 / EN 14458 EN 170 (clear) EN 172 (smoke, silver mirror) ANSI Z87.1
<b>OPTICAL CLASS</b> 1	
<b>WEIGHT</b> 80 g	
<b>LENGTH</b> 110 mm	<b>CATEGORY</b> II

### MARKINGS\* CLEAR

EN14458:2018 | KASK | V2B | YY/MM | = | © | BT | K |  
2C-1,2 CE | 2C-1,2 | KASK | EN 166 | 1 | BT | K | N |  
ANSI Z87+ U6 X D3

\*VLT differs for smoke and silver mirror

### ORDER LOGISTICS

<b>MASTERBOX</b>	42 pieces
<b>DIMENSIONS</b>	78 x 48 x 50 cm
<b>WEIGHT</b>	11 kg

### FEATURED TECHNOLOGIES



## FULL FACE VISOR

WVI00003

EN 166 - EN 170 (clear) - EN 172 (smoke, silver mirror) - ANSI Z87.1



### OPTIONS



WVI00003-500  
CLEAR



WVI00003-510  
SMOKE



WVI00003-520  
SILVER MIRROR

### COMPATIBLE WITH SERIES



SUPERPLASMA

SCREW SET FOR MOUNTING IS INCLUDED IN EVERY VISOR.



### TECHNICAL DETAILS

<b>MATERIAL</b> Polycarbonate	<b>STANDARD</b> EN 166 EN 170 (clear) EN 172 (smoke, silver mirror) ANSI Z87.1
<b>OPTICAL CLASS</b> 2	
<b>WEIGHT</b> 120 g	
<b>LENGTH</b> 190 mm	<b>CATEGORY</b> II

### MARKINGS\* CLEAR

FULL FACE | YY/MM | CE | 2C - 1,2 | KASK | 2 BT | K |  
N | EN 166 | ANSI Z87+ U6 X D3

\*VLT differs for smoke and silver mirror

### ORDER LOGISTICS

<b>MASTERBOX</b>	24 pieces
<b>DIMENSIONS</b>	78 x 48 x 50 cm
<b>WEIGHT</b>	8 kg

### FEATURED TECHNOLOGIES



SUPERPLASMA

## FACE SHIELD

WVI00024

EN 166 - ANSI Z87.1



## OPTIONS

WVI00024-500  
CLEAR

## COMPATIBLE WITH SERIES



SUPERPLASMA

SCREW SET FOR MOUNTING IS INCLUDED IN EVERY VISOR.



## TECHNICAL DETAILS

<b>MATERIAL</b> Polycarbonate	<b>STANDARD</b> EN 166 ANSI Z87.1
<b>OPTICAL CLASS</b> 1	<b>CE UK CA</b>

<b>WEIGHT</b> 70 g	<b>CATEGORY</b> II
-----------------------	-----------------------

<b>LENGTH</b> 180 mm
-------------------------

## MARKINGS\* CLEAR

PLASMA FS | YY/MM | KASK | 1 F - EN 166 3 F | CE |  
ANSI Z87 D3

\*VLT differs for smoke and silver mirror

## FEATURED TECHNOLOGIES

PANORAMIC  
LENSCOMPATIBLE  
WITH  
GLASSESDRIP PROOF  
UPPER CONTOUR

## ORDER LOGISTICS

<b>MASTERBOX</b>	50 pieces
<b>DIMENSIONS</b>	50 x 81 x 31 cm
<b>WEIGHT</b>	6 kg

SUPERPLASMA

## MESH VISOR

WVI00006

EN 1731 - ANSI Z87.1



## MOUNTING PARTS

WVI00006  
BLACK

+

WVI00005  
MESH VISOR  
CARRIER

+

WAC00003  
EARMUFF ADAPTERS

+

WAC00008  
VISOR CARRIER  
ATTACHMENT

=



OR

WHP00004/5/6  
EARMUFFS

=

MESH VISOR IS COMPATIBLE ONLY WITH SUPERPLASMA HELMETS.  
SPARE PARTS ARE NOT INCLUDED IN ANY KIT.

## TECHNICAL DETAILS

<b>MATERIAL</b> Metal and polypropylene	<b>STANDARD</b> EN 1731 ANSI Z87.1
<b>LIGHT TRANSMISSION</b> 82-85,5%	<b>CE UK CA</b>

<b>LENGTH</b> 190 mm	<b>CATEGORY</b> II
-------------------------	-----------------------

<b>WEIGHT</b> 42 g
-----------------------

## MARKINGS

EN 1731 / F ANSI Z87

## FEATURED TECHNOLOGIES

MICRO  
VENTILATIONHEXAGONAL  
MESHDEBRIS  
PROTECTIONCOMPATIBLE  
WITH  
GLASSES

## ORDER LOGISTICS

<b>MASTERBOX</b>	24 pieces
<b>DIMENSIONS</b>	78 x 48 x 50 cm
<b>WEIGHT</b>	8 kg



# HEARING PROTECTION

— 102

## SOUND SAFETY

A selection of non-conductive earmuffs that integrate seamlessly with helmets to reduce noise levels in high-volume environments.





**KASK**  
SC2  
CE 1974 EN 502

# OVERVIEW OF TECHNOLOGIES.



**CERTIFIED FOR USE WITH KASK HELMETS**

Performance tested on all KASK helmets.



**COLOR CODED PERFORMANCE LEVEL**

Color coded to indicate noise reduction performance level.



**EASY SIZE ADJUSTMENT**

Designed to adjust seamlessly for almost any headshape or size.



**NON-CONDUCTIVE**

Designed to not conduct heat or electricity.



**STANDARD 30 mm SLOT**

Designed to attach in 30 mm EURO slots.





## EARMUFFS SC1

WHP00004  
EN 352-3 / ANSI S3.19



### DESCRIPTION

Green-colored earmuffs used in environments with low-to-medium noise levels. Typical applications include: general industrial work areas. Compatible with all KASK helmets.

### COMPATIBLE WITH SERIES



SUPERPLASMA HELMET SERIES REQUIRE EARMUFFS ADAPTERS (WAC00003) FOR MOUNTING.

### TECHNICAL DETAILS

<b>MATERIAL</b> EAR CUPS AND SPACER: ABS thermoplastic	<b>STANDARD</b> EN 352-3 ANSI S3.19
<b>FOAM LINER:</b> Polyether	<b>CE</b> 1974 <b>UK</b> <b>CA</b>
<b>WEIGHT</b> 280 g	<b>CATEGORY</b> III

### SNR / NRR

**SNR (EN 352-3)**  
All KASK helmets 25 dB (A)  
**NRR (ANSI S3.19)**  
22 dB

### FEATURED TECHNOLOGIES



### ORDER LOGISTICS

<b>MASTERBOX</b>	20 pieces
<b>DIMENSIONS</b>	55 x 30 x 35 cm
<b>WEIGHT</b>	9 kg

## EARMUFFS SC2

WHP00005  
EN 352-3 / ANSI S3.19



### DESCRIPTION

Yellow-colored earmuffs used in environments with medium-to-high noise levels. Typical applications include: building and construction, forestry use, industrial areas, production areas, agriculture, etc. Compatible with all KASK helmets.

### COMPATIBLE WITH SERIES



SUPERPLASMA HELMET SERIES REQUIRE EARMUFFS ADAPTERS (WAC00003) FOR MOUNTING.

### TECHNICAL DETAILS

<b>MATERIAL</b> EAR CUPS AND SPACER: ABS thermoplastic	<b>STANDARD</b> EN 352-3 ANSI S3.19
<b>FOAM LINER:</b> Polyether	<b>CE</b> 1974 <b>UK</b> <b>CA</b>
<b>WEIGHT</b> 320 g	<b>CATEGORY</b> III

### SNR / NRR

**SNR (EN 352-3)**  
All KASK helmets 29 dB (A)  
**NRR (ANSI S3.19)**  
24 dB

### FEATURED TECHNOLOGIES



### ORDER LOGISTICS

<b>MASTERBOX</b>	20 pieces
<b>DIMENSIONS</b>	55 x 30 x 35 cm
<b>WEIGHT</b>	10 kg

## EARMUFFS

## SC3

WHP00006

EN 352-3 / ANSI S3.19



## DESCRIPTION

Orange-colored earmuffs used in environments with high noise levels. Typical applications include: airports, car racing, while using pneumatic drills, etc. Compatible with all KASK helmets.

## COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

SUPERPLASMA

## TECHNICAL DETAILS

**MATERIAL**  
EAR CUPS AND SPACER:  
ABS thermoplastic

**STANDARD**  
EN 352-3  
ANSI S3.19

CE 1974  
UK  
CA

FOAM LINER:  
Polyether

**WEIGHT**  
350 g

**CATEGORY**  
III

## SNR / NRR

**SNR (EN 352-3)**  
All KASK helmets 31 dB (A)

**NRR (ANSI S3.19)**  
27 dB

## ORDER LOGISTICS

**MASTERBOX** 20 pieces  
**DIMENSIONS** 55 x 30 x 35 cm  
**WEIGHT** 9 kg

## FEATURED TECHNOLOGIES



STANDARD  
30 mm SLOT



COLOR CODED  
PERFORMANCE  
LEVEL



EASY SIZE  
ADJUSTMENT



NON-  
CONDUCTIVE



CERTIFIED FOR  
USE WITH KASK  
HELMET

# WEATHER PROTECTION

— 108

## CLIMATE COMFORT

Accessories that integrate with KASK helmets helping workers better handle environmental elements in comfort.



# OVERVIEW OF TECHNOLOGIES.

**ADJUSTABLE SIDE COVERAGE**

Allows quick and easy adjustments while being worn.

**EASY ATTACHMENT SYSTEM**

Integrated slots in helmet that enable attachment of accessories.

**BREATHABLE**

Designed to be breathable with increased airflow.

**ERGONOMIC FIT**

Designed with an ergonomic neck cut for optimal head movement.

**CLICK-IN ATTACHMENT**

Easy-to-use system that attaches directly to the helmet allowing secure accessory connections.

**FORM FITTING**

Designed to work with helmets without compromising fit.

**COLD RESISTANT**

Insulated accessories for enhanced comfort and protection in cold environments.

**HYDRO OIL REPELLENT**

Protects and repels from water and oil infiltration.

**EARMUFF COMPATIBLE**

Can be used with KASK hearing protection.

**MOISTURE-WICKING**

Designed with a fabric for dispersing sweat and moisture.



### NECK AND EAR PROTECTION

Designed to protect the neck and ears from weather and the environmental elements.



### WATERPROOF

Designed with rain protection of up to 10 meters of water column.



### UNDERSURFACE SUN REFLECTION

A black undersurface prevents sun reflection and enhances all-day comfort.



### WIND RESISTANT

Protects from light wind without affecting breathability.



### UV PROTECTION

Treated to protect from sunlight and block ultraviolet rays.



### WINDPROOF

Blocks wind for added comfort in varying weather conditions.



### WATER RESISTANT

Designed with light rain protection and water repellency.



# NECK SHADE

WAC00020 | HI VIZ - WAC00024  
AS/NZS 4399:2017 / AATCC 183:2014

## OPTIONS



WAC00020-313  
GREY



WAC00024-222  
ORANGE FLUO



WAC00024-221  
YELLOW FLUO

## COMPATIBLE WITH SERIES



SUPERPLASMA

NECK SHADE IS MOUNTED VIA HOOK-AND-LOOP SYSTEM

## TECHNICAL DETAILS

**MATERIAL**  
79% Polyamide  
21% Elastane

**STANDARD**  
AS/NZS 4399:2017  
AATCC 183:2014

**UVA/UVB PROTECTION**  
UPF 50+

**SIZE**  
45 x 33 cm

## CARE LABELLING



## ORDER LOGISTICS

**MASTERBOX** single unit  
**DIMENSIONS** 18,5 x 10 x 1 cm  
**WEIGHT** 0,04 kg

## FEATURED TECHNOLOGIES



NECK AND EAR PROTECTION    ERGONOMIC FIT    BREATHABLE    UV PROTECTION

# NECK SHIELD RW

WAC00032 | HI VIZ - WAC00033

## OPTIONS



WAC00032-209  
ANTHRACITE



WAC00033-222  
ORANGE FLUO



WAC00033-221  
YELLOW FLUO

## COMPATIBLE WITH SERIES



SUPERPLASMA

NECK SHADE IS MOUNTED VIA HOOK-AND-LOOP SYSTEM

## TECHNICAL DETAILS

**MATERIAL**  
OUTER:  
Synthetic fabric

**SIZE**  
45 x 27 cm

MID-LAYER:  
ZeroWind®  
membrane

INNER:  
Micro-fleece

## CARE LABELLING



## ORDER LOGISTICS

**MASTERBOX** single unit  
**DIMENSIONS** 32 x 21,5 x 0,5 cm  
**WEIGHT** 0,06 kg

## FEATURED TECHNOLOGIES



NECK AND EAR PROTECTION    ERGONOMIC FIT    WATERPROOF    WINDPROOF    WIND RESISTANT



COLD RESISTANT    WATER RESISTANT    BREATHABLE




ZENITH X | PRIMERO

## NECK SHADE

WAC00013 | HI VIZ - WAC00025

AS/NZS 4399:2017 / AATCC 183:2014

## OPTIONS

WAC00013-313  
GREYWAC00025-222  
ORANGE FLUOWAC00025-221  
YELLOW FLUO

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

NECK SHADE IS MOUNTED VIA EASY ATTACHMENT SYSTEM

## TECHNICAL DETAILS

**MATERIAL**  
79% Polyamide  
21% Elastane**STANDARD**  
AS/NZS 4399:2017  
AATCC 183:2014**UVA/UVB PROTECTION**  
UPF 50+**SIZE**  
45 x 27 cm

## CARE LABELLING



## FEATURED TECHNOLOGIES

NECK AND EAR  
PROTECTIONEARMUFF  
COMPATIBLE

BREATHABLE



UV PROTECTION



ERGONOMIC FIT

ADJUSTABLE  
SIDE COVERAGEEASY  
ATTACHMENT  
SYSTEM

ZENITH X | PRIMERO

## NECK SHIELD RW

WAC00030 | HI VIZ - WAC00031

## OPTIONS

WAC00030-209  
ANTHRACITEWAC00031-222  
ORANGE FLUOWAC00031-221  
YELLOW FLUO

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

NECK SHADE IS MOUNTED VIA EASY ATTACHMENT SYSTEM

## TECHNICAL DETAILS

**MATERIAL**  
OUTER:  
Synthetic fabric**SIZE**  
45 x 27 cmMID-LAYER:  
Zerowind®  
membraneINNER:  
Micro-fleece

## CARE LABELLING



## FEATURED TECHNOLOGIES

EASY  
ATTACHMENT  
SYSTEMNECK  
AND EAR  
PROTECTIONEARMUFF  
COMPATIBLEADJUSTABLE  
SIDE  
COVERAGEWATER AND  
WIND PROOF  
COVERAGEWIND  
RESISTANTCOLD  
RESISTANTWATER  
RESISTANTERGONOMIC  
BREATHABLE  
FIT

BREATHABLE

## ORDER LOGISTICS

**MASTERBOX**  
**DIMENSIONS**  
**WEIGHT**  
single unit  
32 x 21,5 x 0,5 cm  
0,06 kg

## UNIVERSAL SUNSHIELD

WAC00036 | HI VIZ - WAC00037  
AS/NZS 4399:2017 / AATCC 183:2014



### OPTIONS



WAC00036-209  
ANTHRACITE



WAC00037-222  
ORANGE FLUO



WAC00037-221  
YELLOW FLUO

### COMPATIBLE WITH SERIES



ZENITH X



PRIMERO



SUPERPLASMA

### TECHNICAL DETAILS

**MATERIAL**  
Cordura™

**STANDARD**  
AS/NZS 4399:2017  
AATCC 183:2014

**UVA/UVB  
PROTECTION**  
UPF 50+

**SIZE**  
One size fits most

### CARE LABELLING



### ORDER LOGISTICS

**MASTERBOX** 30 pieces  
**DIMENSIONS** 31 x 41 x 27 cm  
**WEIGHT** 5 kg

### FEATURED TECHNOLOGIES



UV PROTECTION



EARMUFF  
COMPATIBLE



UNDERSURFACE  
SUN REFLECTION

## UNIVERSAL WINTER BALACLAVA

WAC00069 | HI VIZ - WAC00070



### OPTIONS



WAC00069-209  
ANTHRACITE



WAC00070-222  
ORANGE FLUO



WAC00070-221  
YELLOW FLUO

### COMPATIBLE WITH SERIES



ZENITH X



PRIMERO



SUPERPLASMA

### TECHNICAL DETAILS

**MATERIAL**  
OUTER:  
Synthetic fabric

MID-LAYER:  
Zerowind®  
membrane

INNER:  
Micro-fleece

**SIZE**  
One size fits most

### CARE LABELLING



### ORDER LOGISTICS

**MASTERBOX** 100 pieces  
**DIMENSIONS** 31 x 41 x 27 cm  
**WEIGHT** 11 kg

### FEATURED TECHNOLOGIES



FULL  
WEATHER  
PROTECTION



WATER  
RESISTANT



WIND  
RESISTANT



COLD  
RESISTANT



ERGONOMIC  
FIT



BREATHABLE



ADJUSTABLE  
FRONT  
CLOSURE



REFLECTIVE  
DETAILS

UNIVERSAL

## WINTER PADDING

WPA00007



## OPTIONS

WPA00007  
BLACK

## COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

SUPERPLASMA

## TECHNICAL DETAILS

**MATERIAL**93% Polyester  
7% Polyurethane**SIZE**

One size fits most

## CARE LABELLING



## FEATURED TECHNOLOGIES



WINDPROOF



BREATHABLE



WIND RESISTANT



COLD RESISTANT

## ORDER LOGISTICS

**MASTERBOX**

single unit

**DIMENSIONS**

25,5 x 15,5 x 5 cm

**WEIGHT**

0,06 kg

MOISTURE-  
WICKINGWATER  
RESISTANTFORM  
FITTINGHYDRO OIL  
REPELLENT

ZENITH X

## MERINO WINTER PADDING

WPA00009



## OPTIONS

WPA00009  
BLACK

## COMPATIBLE WITH SERIES



ZENITH X

## TECHNICAL DETAILS

**MATERIAL**OUTER:  
100% Polyester**SIZE**

One size fits most

## INNER:

Merino Wool mix

## CARE LABELLING



## FEATURED TECHNOLOGIES



WINDPROOF



BREATHABLE



WIND RESISTANT



COLD RESISTANT

## ORDER LOGISTICS

**MASTERBOX**

100 pieces

**DIMENSIONS**

42 x 66 x 43 cm

**WEIGHT**

7 kg

MOISTURE-  
WICKINGFORM  
FITTINGCLICK-IN  
ATTACHMENT

FRONTAL CLICK-IN SYSTEM ALLOWS MOUNTING.



KASK

# HEADLAMPS

— 116

## ILLUMINATING SOLUTIONS

Lighting accessories that attach to KASK helmets to brighten worker sight lines in low-light conditions.





# OVERVIEW OF TECHNOLOGIES.

**ADVANCED FOCUS SYSTEM®**

Patented technology that allows a seamless transition from broad low beam to sharply focused high beam.

**DUAL POWER SOURCE**

Equipped with two battery types; a rechargeable lithium-ion battery and regular AA alkaline battery, to provide flexibility in a variety of applications.

**BLUE LIGHT**

Equipped with a blue LED light for use in fog and smoky conditions.

**EMERGENCY LIGHT**

Designed to turn on automatically when the power goes out and the headlamp is on its charging station.

**BLUETOOTH®**

Designed with Bluetooth® smartphone connection via app for personalized settings, timer, etc.

**GREEN LIGHT**

Equipped with a green LED light for increased run time and nighttime visibility.

**COOLING TECHNOLOGY**

Dissipates heat generated by extended headlamp use.

**MAGNETIC CHARGE SYSTEM**

Easily recharge the headlamp via a magnetic USB cable.



### **OPTISENSE® TECHNOLOGY**

Technology that automatically adapts to the present light conditions –controlling the luminosity based on the reflecting surrounding light to avoid glare.



### **TRANSPORTATION LOCK**

Prevents the light from being turned on inadvertently.



### **RAPID FOCUS**

Mechanism that allows the light beam to be adjusted quickly.



### **RED READING LIGHT**

Equipped with a red LED light for better nighttime visibility and emergency situations.



### **TEMPERATURE CONTROL SYSTEM**

Technology that automatically lowers the output to protect from overheating.

# KL-1

WLA00001



## TECHNICAL DETAILS

Weight incl. Battery	98 g
Light output max - min	400 lm   20 lm
Runtime min - max	4 h   35 h
Battery	1* Li-ion (included) or 2*AA Alkaline 1.5V/ 2*AANIMH1.2V (not included)
IP class	IP54
Charging time	150 min (according to hardware used)
Light functions	Power, low power

**Functions** Low battery warning, charge indicator, battery indicator, rapid focus, red reading light

## COMPATIBLE WITH SERIES




## INCLUDES

- Headlamp + elastic band
- Overhead-band
- Charging cable
- Battery (to be installed)

## ORDER LOGISTICS

MASTERBOX	24 pieces
DIMENSIONS	40 x 40 x 35 cm
WEIGHT	10 kg

## FEATURED TECHNOLOGIES



# KL-2

WLA00002



## TECHNICAL DETAILS

Weight incl. Battery	139 g
Maximum light output boost	600 lm for 10"
Light output max - min	400 lm   170 lm   20 lm
Runtime min - max	7 h   10 h   60 h
Battery	1* Li-ion (included) or 2*AA Alkaline 1.5V/ 2*AANIMH1.2V (not included)
IP class	IP54
Charging time	270 min (according to hardware used)
Light functions	Low power, mid power, power, blink, boost

**Functions** Low battery warning; charge indicator; battery indicator; rapid focus; transport lock; red green and blue light (also fix bad break so battery doesn't break across the line.)

## COMPATIBLE WITH SERIES




## INCLUDES

- Headlamp + elastic band
- Overhead-band
- Charging cable
- Battery (to be installed)

## ORDER LOGISTICS

MASTERBOX	24 pieces
DIMENSIONS	40 x 40 x 35 cm
WEIGHT	10 kg

## FEATURED TECHNOLOGIES





## HEADLAMPS

## KL-3

WLA00003



## TECHNICAL DETAILS

Weight incl. Battery	179 g
Maximum light output boost	1000 lm for 10"
Light output max - min	750 lm*   300 lm   10 lm
Runtime max - min	4 h   8 h   100 h
Battery	* 1 Li-ion (included) or ICR Li-ion 3.7V (not included)
IP class	IP54
Charging time	420 min (according to hardware used)
Light functions	Low power, mid power, power, boost, blink, SOS, strobe
Functions	Low battery warning; charge indicator; battery indicator; rapid focus; transport lock; red, green, and blue light; Bluetooth; automatic brightness adjustment

## COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

SUPERPLASMA


## INCLUDES

Headlamp + elastic band  
Overhead-band  
Charging cable  
Battery (to be installed)

## ORDER LOGISTICS

MASTERBOX 24 pieces  
DIMENSIONS 40 x 40 x 35 cm  
WEIGHT 10 kg

## FEATURED TECHNOLOGIES



## MOUNTING OPTIONS

## FRONT | ELASTIC BAND MOUNTING



KL-1 | KL-2 | KL-3

ZENITH X

PRIMERO

SUPERPLASMA

## FRONT ATTACHMENT | FRONTAL MOUNTING




KL-1 | KL-2 | KL-3

KL-1 | KL-2 | KL-3  
FRONT ATTACHMENT

ZENITH X

PRIMERO

## TOP | OVERHEAD-BAND MOUNTING



KL-1 | KL-2 | KL-3

OVERHEAD-BAND

ZENITH X

PRIMERO

KL-1 | KL-2 | KL-3

OVERHEAD-BAND

EARMUFFS ADAPTERS

SUPERPLASMA

Headlamps spare parts are at page 127

# OTHER ACCESSORIES

— 122

## SMART SOLUTIONS

Securely attached accessories that allow working activities to be fast and practical.



ZENITH X | PRIMERO

## BADGE HOLDER

WAC00048

## OPTIONS

WAC00048  
CLEAR

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

## TECHNICAL DETAILS

**MATERIAL**PC - transparent  
PA - black**SIZE**

58 x 95 mm

## DESCRIPTION

Attachment designed to securely connect badge to front attachment point of helmet while providing protection from splash risks.  
It is mounted by removing frontal point cover and inserting badge slot.

## ORDER LOGISTICS

<b>MASTERBOX</b>	30 pieces
<b>DIMENSIONS</b>	17,5 x 25 x 17,5 cm
<b>WEIGHT</b>	1 kg

UNIVERSAL

## BADGE HOLDER LIGHT

WAC00042 | WAC00047

## OPTIONS

WAC00042  
SUPERPLASMAWAC00047  
ZENITH X  
PRIMERO

## COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

SUPERPLASMA

## TECHNICAL DETAILS

**MATERIAL**BADGE HOLDER:  
Transparent PE

## ELASTIC BAND:

75% polyester  
25% natural rubber**SIZE**

58 x 95 mm

## DESCRIPTION

Attachment for connecting badge via lamp clips to the front or back of helmet.  
It is mounted by fixing elastic band loop to helmet lamp clips.

## ORDER LOGISTICS

<b>MASTERBOX</b>	70 pieces
<b>DIMENSIONS</b>	17,5 x 25 x 17,5 cm
<b>WEIGHT</b>	1,5 kg



# CUSTOM PRINTING AS EASY AS 1, 2, 3.

With high-quality printing and flexible order options, KASK helmets can be customized to outfit any team.

- High-quality graphics in up to seven colors
- Applied to standard or custom print areas
- Low minimum order quantities

Contact a KASK sales representative to learn about custom printing your helmets. Standard and Hi-Viz decal customization available.

## 1 CHOOSE YOUR HELMET



### ZENITH X SERIES

ZENITH X



ZENITH X HI VIZ



### PRIMERO SERIES

PRIMERO



PRIMERO HI VIZ



### SUPERPLASMA SERIES

SUPERPLASMA



SUPERPLASMA HI VIZ



## 2 CHOOSE YOUR PRINTING AREA



**FRONT**  
80 mm x 40 mm



**SIDES**  
65 mm x 35 mm



**BACK**  
38 mm x 24 mm



**FRONT**  
80 mm x 55 mm



**SIDES**  
80 mm x 30 mm



**BACK**  
80 mm x 30 mm



**FRONT**  
80 mm x 40 mm



**SIDES**  
65 mm x 35 mm



**BACK**  
80 mm x 32 mm

Every KASK helmet can be customized.

These are typical guidelines for graphic placement on KASK helmets.

KASK will work with you to help achieve your vision for your helmets.



## 3 CHOOSE YOUR GRAPHICS



### PAD PRINTING

- High-quality color matching
- Each side can be a unique graphic
- Print in standard areas, or request custom print areas
- Durable in time

### DECALS

- High-quality color matching
- Each decal can be customized
- Replaceable

# SPARE PARTS.

## HELMETS ZENITH X



**INTERNAL PADDING**  
WPA00010



**FRONT PADDING**  
WPA00011



**COMFORT FIT FRONT PADDING**  
WPA00012




**LAMP CLIPS BLACK**  
WAC00061-210



**LAMP CLIPS LUMINESCENT**  
WAC00061-236



**REFLECTIVE DECALS**  
WAC00062-252



**CLEAR STICKERS**  
WAC00023



**BADGE HOLDER**  
WAC00048 | WAC00047



**EASY CLICK ADAPTERS**  
WAC00009



**FULL FACE VISOR CARRIER**  
WAC00010



**BRIM**  
WV100011



**ADAPTIVE FIT SYSTEM WHEEL KIT**  
WAC00086

## HELMETS PRIMERO



**INTERNAL PADDING**  
WPA00019



**FRONT PADDING**  
WPA00020



**COMFORT FIT FRONT PADDING**  
WPA00013




**LAMP CLIPS BLACK**  
WAC00082-210



**LAMP CLIPS LUMINESCENT**  
WAC00082-236



**REFLECTIVE DECALS**  
WAC00083-252



**CLEAR STICKERS**  
WAC00023



**BADGE HOLDER**  
WAC00048 | WAC00047



**EASY CLICK ADAPTERS**  
WAC00009



**FULL FACE VISOR CARRIER**  
WAC00010




**BRIM**  
WV100011



**QUICK/ERGO FIT SYSTEM GEAR KIT**  
WAC00085

## HELMETS

## SUPERPLASMA



**SUPERPLASMA AQ  
PADDING**  
WPA00002



**SUPERPLASMA HP  
PADDING**  
WPA00005




**SUPERPLASMA  
PL PADDING**  
WPA00003



**CLEAR  
STICKERS**  
WAC00018



**SUPERPLASMA AQ  
REFLECTIVE STICKERS**  
WAC00001



**BADGE HOLDER -  
LIGHT**  
WAC00042



**VISOR  
SCREW SET**  
WAC00005



**EARMUFFS  
ADAPTERS**  
WAC00003



**MESH VISOR  
CARRIER**  
WV100005



**MESH VISOR  
ADAPTERS**  
WAC00008



**QUICK/ERGO FIT  
SYSTEM GEAR KIT**  
WAC00085

## ACCESSORIES

## HEADLAMPS



**KL-1 FRONT  
ATTACHMENT**  
WAC00064  
(ZENITH X | PRIMERO)



**KL-2 FRONT  
ATTACHMENT**  
WAC00065  
(ZENITH X | PRIMERO)



**KL-3 FRONT  
ATTACHMENT**  
WAC00066  
(ZENITH X | PRIMERO)



**OVERHEAD-BAND  
KL-1/KL-2/KL-3**  
WAC00049



**HEADBAND  
KL-1**  
WAC00053



**HEADBAND  
KL-2/KL-3**  
WAC00054



**USB MAGNETIC  
CHARGING CABLE**  
WAC00059



**BASE PLATE  
KL-1**  
WAC00055



**BASE PLATE  
KL-2**  
WAC00056



**BASE PLATE  
KL-3**  
WAC00057



**BATTERY COVER  
KL-1**  
WAC00050



**BATTERY COVER  
KL-2**  
WAC00051



**BATTERY COVER  
KL-3**  
WAC00052



**BATTERY  
KL-3**  
WAC00058

## ACCESSORIES

## EARMUFFS



**HEARING  
PADDING SC1+SC2**  
WAC00006



**HEARING  
PADDING SC3**  
WAC00007



**EARMUFF  
ATTACHMENT ARMS**  
WAC00022

# SALES SUPPORT.

## PRINTED SUPPORT



CATALOGUE

**SAFETY COLLECTION:**  
XDI00034-2023-EN | IT | DE | FR | ES



PRODUCT FLYER

**ZENITH X:**  
XDI00017-ZENITH-X-EN | ENIT | DEFR | ESPT | NLDA | SVFI | NO | SV

**PRIMERO:**  
XDI00017-PRIMERO-EN | IT | DE | FR | ES-2023-

**SUPERPLASMA:**  
XDI00017-SUPERPLASMA-EN | IT | DE | FR | ES-2023-

## COLORBOOK



**HELMET SHELL  
COLORBOOK PP**  
XDI00135-PP



**HELMET SHELL  
COLORBOOK ABS**  
XDI00135-ABS



**REFLECTIVE DECALS  
COLORBOOK**  
XDI00136

## STICKERS



**WINDOW  
STICKERS**  
(18 x 6 cm) | XDI00033

## DISPLAY



**STAND & HANG  
HELMET DISPLAY**  
(75 x 33 x 180 cm)  
XDI00077



**4-HELMET  
DISPLAY**  
(28 x 40 x 183 cm)  
XDI00119



**SINGLE HELMET  
DISPLAY**  
(50 x 30 x 37 cm)  
XDI00032



**FLYER  
DISPLAY**  
(25 x 8 x 27 cm)  
XDI00031



**WINDOW  
DISPLAY**  
(42 x 30 cm)

**ZENITH X:**  
XDI00179- EN | IT | DE | FR | ES-

**PRIMERO:**  
XDI00179- EN | IT | DE | FR | ES-

**SUPERPLASMA:**  
XDI00181- EN | IT | DE | FR | ES-



## SLAT WALL KIT



**SLAT WALL  
HANGER**  
XEV00006



**SLAT WALL  
BANNER**  
XEV00020



**HANGER  
LABELS**  
XEV00025-KASK MODEL



## ROLL UP



**ROLL UP  
INDUSTRIAL**  
(200 x 80 cm)  
XEV00016-501-2023-



**ROLL UP  
ROPE ACCESS**  
(200 x 80 cm)  
XEV00016-505-2023-



**ROLL UP  
CONSTRUCTION**  
(200 x 80 cm)  
XEV00016-506-2023-



**ROLL UP  
TREE CLIMBING**  
(200 x 80 cm)  
XEV00016-504-2023-

## HELMET BAGS



**DRAWSTRING  
BAG SMALL**  
WAC00026



**DRAWSTRING  
BAG LARGE**  
WAC00071



**REINFORCED  
BAG**  
WAC00029



**SELECTION  
BAG**  
UAC00007



**KASK BAG  
SMALL**  
UAC00006



**KASK BAG  
BIG**  
UAC00004

## CLEANERS



**LINER REFRESHER**  
100ML/3.4 FL OZ  
SINGLE UNIT  
WAC00040



**LINER REFRESHER**  
100ML/3.4 FL OZ  
8 PCS BOX  
WAC00044



**HELMET CLEANER**  
100ML/3.4 FL OZ  
SINGLE UNIT  
WAC00063



**HELMET CLEANER**  
100ML/3.4 FL OZ  
8 PCS BOX  
WAC00072

# ZENITH X FULL RANGE.

## ZENITH X



WHE00073-201 WHITE WHE00073-202 YELLOW WHE00073-203 ORANGE WHE00073-204 RED WHE00073-205 GREEN WHE00073-206 BRITISH GREEN WHE00073-208 BLUE WHE00073-209 ANTHRACITE WHE00073-215 GREY WHE00073-210 BLACK WHE00073-214 PINK

All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm): WHE00125 - Zenith X LC

## ZENITH X HI VIZ



WHE00074-201 WHITE WHE00074-221 YELLOW FLUO WHE00074-222 ORANGE FLUO

All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm): WHE00126 - Zenith X LC HI VIZ

## ZENITH X AIR



WHE00075-201 WHITE WHE00075-202 YELLOW WHE00075-203 ORANGE WHE00075-204 RED WHE00075-205 GREEN WHE00075-206 BRITISH GREEN WHE00075-208 BLUE WHE00075-209 ANTHRACITE WHE00075-215 GREY WHE00075-210 BLACK WHE00075-214 PINK

All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm): WHE00127 - Zenith X AIR LC

## ZENITH X AIR HI VIZ



WHE00076-201 WHITE WHE00076-221 YELLOW FLUO WHE00076-222 ORANGE FLUO

All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm): WHE00128 - Zenith X AIR LC HI VIZ

## ZENITH X PL



WHE00079-201 WHITE WHE00079-202 YELLOW WHE00079-203 ORANGE WHE00079-204 RED WHE00079-210 BLACK WHE00079-214 PINK

## ZENITH X PL HI VIZ



WHE00080-201 WHITE WHE00080-221 YELLOW FLUO

## ZENITH X COMBO



WHE00077-203 ORANGE WHE00077-221 YELLOW FLUO WHE00077-210 BLACK

## ZENITH X AIR COMBO



WHE00078-203 ORANGE WHE00078-221 YELLOW FLUO WHE00078-210 BLACK

## ZENITH X PL COMBO



WHE00081-203 ORANGE WHE00081-221 YELLOW FLUO WHE00081-210 BLACK

## EYE &amp; FACE PROTECTION

## ZEN VISOR



WV100007-500 CLEAR  
WV100007-510 SMOKE  
WV100007-520 SILVER MIRROR

## ZEN FF VISOR



WV100008-500 CLEAR  
WV100008-510 SMOKE

## ZEN FACE SHIELD



WV100022-500 CLEAR

## ZEN MM | PM



WV100009 METAL MESH  
WV100010 PLASTIC MESH

## ZEN FOAM



WV100032/33-500 CLEAR | S/M  
WV100032/33-510 SMOKE | S/M  
WV100032/33-520 SILVER MIRROR | S/M

## ARC VISOR CLASS 1 | 2 ERGO



WV100014 CLEAR  
WV100034 SMOKE

## ZENITH X KIT



○ 500 - CLEAR  
● 510 - SMOKE  
● 520 - SILVER MIRROR

WK100002 | KIT ZEN VISOR  
WV100007 + WAC00009



○ 500 - CLEAR  
● 510 - SMOKE

WK100003 | KIT ZEN FF VISOR  
WV100008-500 + WAC00009 + WAC00010



WK100005 | KIT ZEN MM VISOR  
WV100009 + WAC00009 + WAC00010



WK100009 | MOUNT KIT  
WAC00009 + WAC00010

## WEATHER PROTECTION

## NECK SHADE | HI VIZ



WAC00013-313 GREY  
WAC00025-222 ORANGE FLUO  
WAC00025-221 YELLOW FLUO

## NECK SHIELD RW | HI VIZ



WAC00030-209 ANTHRACITE  
WAC00031-222 ORANGE FLUO  
WAC00031-221 YELLOW FLUO

## WINTER BALACLAVA | HI VIZ



WAC00069-209 ANTHRACITE  
WAC00070-222 ORANGE FLUO  
WAC00070-221 YELLOW FLUO

## SUNSHIELD | HI VIZ



WAC00036-209 ANTHRACITE  
WAC00037-222 ORANGE FLUO  
WAC00037-221 YELLOW FLUO

## MERINO | WINTER PADDING



WPA00009 MERINO WINTER PADDING  
WPA00007 WINTER PADDING

## HEADLAMPS

## HEADLAMPS



WLA00001 KL-1  
WLA00002 KL-2  
WLA00003 KL-3

## LAMP FRONT ATTACHMENT



WAC00064 KL-1 FRONT ATTACHMENT  
WAC00065 KL-2 FRONT ATTACHMENT  
WAC00066 KL-3 FRONT ATTACHMENT

## HEARING PROTECTION

## EARMUFFS



WHP00004 SC1 - GREEN  
WHP00005 SC2 - YELLOW  
WHP00006 SC3 - ORANGE

## HYGENE KIT



WAC00006-7 HYGIENE KIT EARMUFFS

## SPARE PARTS &amp; SAFETY ACCESSORIES

## ZENITH X SPARE PARTS



WPA00010 PADDING  
WPA00011 FRONT PADDING  
WPA00012 COMFORT FIT FRONT PADDING  
WAC00061-210 LAMP CLIPS BLACK  
WAC00061-236 LAMP CLIPS LUMINESCENT  
WAC00062 REFLECTIVE DECALS  
WAC00010 FF VISOR CARRIER  
WV100011 BRIM  
WAC00009 EASY CLICK ADAPTERS  
WAC00023 TRANSPARENT STICKERS  
WAC00086 ADAPTIVE FIT SYSTEM WHEEL KIT

## BADGE HOLDER



WAC00048  
WAC00047

## CLEANERS



WAC00040 LINER REFRESHER  
WAC00063 HELMET CLEANER

# PRIMERO FULL RANGE.

## PRIMERO



## PRIMERO HI VIZ



— 132

## PRIMERO AIR



## PRIMERO AIR HI VIZ



## PRIMERO PL



## PRIMERO PL HI VIZ



## EYE & FACE PROTECTION

### ZEN VISOR



### ZEN FF VISOR



### ZEN FACE SHIELD



### ZEN MM | PM



### ZEN FOAM



### ARC VISOR CLASS 1 | 2 ERGO



### PRIMERO KIT



## WEATHER PROTECTION

### NECK SHADE | HI VIZ



### NECK SHIELD RW | HI VIZ



### WINTER BALACLAVA | HI VIZ



### SUNSHIELD | HI VIZ



### WINTER PADDING



## HEADLAMPS

### HEADLAMPS




### LAMP FRONT ATTACHMENT



## HEARING PROTECTION

### EARMUFFS



### HYGIENE KIT



## SPARE PARTS & SAFETY ACCESSORIES

### PRIMERO SPARE PARTS



### BADGE HOLDER



### CLEANERS



# SUPERPLASMA FULL RANGE.

## SUPERPLASMA AQ




## SUPERPLASMA AQ HI VIZ



— 134

## SUPERPLASMA HP




## SUPERPLASMA HP VISOR



## SUPERPLASMA PL



## SUPERPLASMA PL HI VIZ



## EYE & FACE PROTECTION

### V2 PLUS VISOR



WV100013-500 CLEAR  
WV100018-510 SMOKE  
WV100018-520 SILVER MIRROR

### VISOR FULL FACE



WV100003-500 CLEAR  
WV100003-510 SMOKE  
WV100003-520 SILVER MIRROR

### FACE SHIELD



WV100024-500 CLEAR

### MESH VISOR



WV100006 METAL MESH

## WEATHER PROTECTION

### NECK SHADE | HI VIZ



WAC00013-313 GREY  
WAC00025-222 ORANGE FLUO  
WAC00025-221 YELLOW FLUO

### NECK SHIELD RW | HI VIZ



WAC00030-209 ANTHRACITE  
WAC00031-222 ORANGE FLUO  
WAC00031-221 YELLOW FLUO

### WINTER BALACLAVA | HI VIZ



WAC00069-209 ANTHRACITE  
WAC00070-222 ORANGE FLUO  
WAC00070-221 YELLOW FLUO

### SUNSHIELD | HI VIZ



WAC00036-209 ANTHRACITE  
WAC00037-222 ORANGE FLUO  
WAC00037-221 YELLOW FLUO

### WINTER PADDING



WPA00007 WINTER PADDING

## HEADLAMPS

### HEADLAMPS



WLA00001 KL-1  
WLA00002 KL-2  
WLA00003 KL-3

## HEARING PROTECTION

### EARMUFFS



WHP00004 SC1 - GREEN  
WHP00005 SC2 - YELLOW  
WHP00006 SC3 - ORANGE

### HYGIENE KIT



WAC00006-7 HYGIENE KIT EARMUFFS


## SPARE PARTS & SAFETY ACCESSORIES

### SUPERPLASMA SPARE PARTS



WPA00002 SUPERPLASMA AQ PADDING  
WPA00005 SUPERPLASMA HP PADDING  
WPA00003 SUPERPLASMA PL PADDING  
WAC00001 REFLECTIVE STICKERS  
WAC00005 VISOR SCREW SET  
WAC00003 EARMUFFS ADAPTERS  
WAC00008 MESH VISOR ADAPTER  
WV100005 MESH VISOR CARRIER  
WAC00085 QUICK/ERGO FIT SYSTEM GEAR KIT  
WAC00018 CLEAR STICKERS

### BADGE HOLDER LIGHT



WAC00042

### CLEANERS



WAC00040 LINER REFRESHER  
WAC00063 HELMET CLEANER



Reproduction forbidden. All rights reserved. Some of the products shown may differ from products supplied. Kask spa. reserves the right to make variations/ improvements of any of the product or data shown at any time, without notice. All the products are designed and engineered by Kask spa. Italy. The illustrations, descriptions and dimensions shown in this catalog are indicative. KASK reserves the right to modify or improve them in any moment. The colors have been reproduced with the accuracy allowed by the process of printing. KASK products are guaranteed not to involve child labor.





**KASK S.p.A**

Via Firenze, 5  
24060 Chiuduno (BG) - Italy  
T. +39 035 4427497  
F. +39 035 4427704

[info@kask.com](mailto:info@kask.com)



[kask.com](http://kask.com)

DISTRIBUTED BY

