

LAVORO[®]

TT LITE

THE NEW GENERATION TT PU/PU
ULTRA-LIGHT



SAFETY FOOTWEAR
MADE IN PORTUGAL

SPRING/SUMMER 2021
www.lavoroeurope.com



LAVORO®

35 YEARS SERVING FOOT SAFETY AND HEALTH

ICC - Indústrias e Comércio de Calçado, owner of the brand Lavoro, marks 35 years of specialization and constant innovation in the field of professional footwear and never before has it been so requested to help occupational medicine to solve challenges of foot health in the workplace.

Considered as one of the most reputable European industries in the sector, a status to which the high number of patents and registries of public utility that it holds decisively contributes, ICC exports to more than 50 markets a wide range of models, designed to meet the requirements and challenges of different work environments. From industry to construction, including logistics, transport, maintenance, electronics, mining, health, forestry, firefighters and militarized forces.

ICC, which was the first company in the professional footwear sector to hold certification in Research, Development and Innovation (IDI), differentiates, unlike the generality of its counterparts, the proposals for men and women, for which it is keen to develop models adapted to female physiology and biomechanics.

These podiatric concerns have long been at the basis of the design and development of its professional footwear and never as in 2020, SPODOS, the Foot Science Centre created 10 years ago, was so requested to assist occupational medicine clinicians and hygiene, as well as health and safety technicians responding to so many and diverse challenges in the field of personal protection.

Why? Because foot health and safety in the workplace has an impact on several areas of a company's activity: on the well-being, energy and productivity of employees; in the good working environment; respect for labour law; compliance of certifications; in compliance with the rules scrutinized by the economic inspection; in meeting production goals; and, ultimately, the financial results achieved by the companies.

Aware of the care to be taken with the foot in work environments, as well as SPODOS competencies in the fields of podiatry and biomechanics applied to the design, advice and use of professional footwear, «companies in the most varied sectors of activity rely increasingly on the collaboration of podiatrists and biomedical engineers from SPODOS », assures Teófilo Leite, chairman of the board, to advise the most appropriate professional footwear for each professional environment; format and guide training courses and / or awareness-raising actions tailored to the needs of the employees of each institution; provide technical advisory services in the field of foot health in the workplace; carry out chiropody consultations and develop professional footwear tailored to employees with therapeutic indications for that purpose.



Teófilo Leite
CHAIRMAN



- ICC Est. 1986 -

INDEX

TT LITE	4
SPACE ODDITY	6
SPORTIVE SHOES	8
SANDALS	16
EASY FIT SYSTEM	17
SHOES	18
BOOTS	24
WATERPROOF	27
SPECIALS	29
WOMAN	37
INFO	43
ACCESSORIES	44
ESD SOCKS	45
R&D	46
SPODOS	50
LABS	54

TT LITE

**THE NEW GENERATION TT PU/PU
ULTRA-LIGHT**

LYNX BLUE

**100 % METAL FREE
100% LEATHER FREE
WR. BREATHABLE HI-TECH MF**

S3 SRC ESD



LYNX BLUE

CERTIFICATION NORM
EN ISO 20345: 2011 CE S3 SRC



ESD
(Electro Static
Dissipative)



100% Non
Metallic



Leather free



Woman

SIZES	35-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED DOUBLE DENSITY PU
INSOLE	LAVORO ESD TITAN
UPPER RAW MATERIALS	WR BREATHABLE HI-TECH MF
LINING MATERIALS	BLUE DRYLEX TEXTILE
WIDTH	11
REF	1257.51



LYNX YELLOW

CERTIFICATION NORM
EN ISO 20345: 2011 CE S3 SRC



ESD
(Electro Static
Dissipative)



100% Non
Metallic



Leather free

SIZES	39-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED DOUBLE DENSITY PU
INSOLE	LAVORO ESD TITAN
UPPER RAW MATERIALS	WR BREATHABLE HI-TECH MF
LINING MATERIALS	YELLOW DRYLEX TEXTILE
WIDTH	11
REF	1257.55



LYNX GREEN

CERTIFICATION NORM
EN ISO 20345: 2011 CE S3 SRC



ESD
(Electro Static
Dissipative)



100% Non
Metallic



Leather free

SIZES	39-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED DOUBLE DENSITY PU
INSOLE	LAVORO ESD TITAN
UPPER RAW MATERIALS	WR BREATHABLE HI-TECH MF
LINING MATERIALS	GREEN DRYLEX TEXTILE
WIDTH	11
REF	1257.56



SPACE ODDITY

Walking on Clouds



ATOP

QUICK RELEASE SYSTEM



INTERNAL LAVORO BOOST

THE ENERGY RETURN TECHNOLOGY

SEAMLESS

SEAMLESS UPPER

SEAMLESS | LEATHER FREE | ESD | METAL FREE
EXTRA LIGHT | SUPER COMFORT

STARDUST BLUE



ESD
(Electro Static
Dissipative)



Leather free

SIZES	39-47
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	TPU + LAVORO BOOST
INSOLE	LAVORO ESD TITAN
UPPER RAW MATERIALS	WR BREATHABLE HI-TECH MF
LINING MATERIALS	BLACK DRYLEX TEXTILE
WIDTH	11
REF	1200.10



STARTLIGHT BLUE



ESD
(Electro Static
Dissipative)



100% Non
Metallic



Leather free

SIZES	39-47
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	TPU + LAVORO BOOST
INSOLE	LAVORO ESD TITAN
UPPER RAW MATERIALS	WR BREATHABLE HI-TECH MF
LINING MATERIALS	BLACK DRYLEX TEXTILE
WIDTH	11
REF	1200.00



STARTLIGHT GREEN



ESD
(Electro Static
Dissipative)



100% Non
Metallic



Leather free

SIZES	39-47
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	TPU + LAVORO BOOST
INSOLE	LAVORO ESD TITAN
UPPER RAW MATERIALS	WR BREATHABLE HI-TECH MF
LINING MATERIALS	BLACK DRYLEX TEXTILE
WIDTH	11
REF	1200.06



STARTLIGHT YELLOW



ESD
(Electro Static
Dissipative)



100% Non
Metallic



Leather free

SIZES	39-47
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	TPU + LAVORO BOOST
INSOLE	LAVORO ESD TITAN
UPPER RAW MATERIALS	WR BREATHABLE HI-TECH MF
LINING MATERIALS	BLACK DRYLEX TEXTILE
WIDTH	11
REF	1200.05



ENGINEERED FOR MAXIMUM PERFORMANCE.



LEATHER & METAL **FREE**



CCS | CLIMA CORK SYSTEM®
The Natural Clima of your Feet

Optimal Thermal Insulation & Shock Absorption.
100% Natural



1 DIRECT INJECTED PU + RUBBER

- Lightweight PU provides good shock absorption and comfort
- Excellent abrasion and slip resistance (SRC) ensuring a secure contact to the ground

3 TT SOLE DESIGN

- Specially designed for greater contact between the sole and the ground
- Diminished fatigue, fasciitis and digital claw increasing comfort

4 K3D HIGH-TECH UPPER

- Ultra abrasion resistant textile
- Breathable
- Hydrophobized / water repellent

5 SOCK FITTING

- Easy-fit system for perfect comfort

6 REINFORCED COUNTER

- Heel protection stabilizer

7 LAST

- Anatomical last to ensure extra comfort

8 BREATHABLE LINING

- Drytex Plus lining provides better breathability and moisture management during sweat-inducing work.

9 LAVORO X-MAX ANTISTATIC

- Breathable
- Antistatic
- Carbon active based
- Odour free
- Improved thermal sensation
- High tear resistance
- Foam Por based on flexible recycled materials

35 LADIES SIZES

- Ergonomic last shape adapted to ladies morphological, anatomical and biomechanical characteristics

CHEWIE

CERTIFICATION NORM
EN ISO 20345: 2011 CE S3 HRO SRC



SIZES	35-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU + RUBBER
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	K3D HIGH-TECH UPPER
LINING MATERIALS	BLUE DRYLEX TEXTILE
WIDTH	11
REF	1203.01



LUKE

CERTIFICATION NORM
EN ISO 20345: 2011 CE S3 HRO SRC



SIZES	35-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU + RUBBER
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	K3D HIGH-TECH UPPER
LINING MATERIALS	ORANGE DRYLEX TEXTILE
WIDTH	11
REF	1203.07



SKYWALKER

CERTIFICATION NORM
EN ISO 20345: 2011 CE S1P HRO SRC



SIZES	35-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU + RUBBER
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	BLACK TEXTILE
LINING MATERIALS	BLUE DERMODY COOLMAX
WIDTH	11
REF	1279.20







1 Toe bumper for FOOT PROTECTION and GRIP

2 EVA midsole to reduce weight and improve SHOCK ABSORBING

3 TPU frame to enhance SUPPORT and STABILITY




Flexion lines to improve NATURAL ROLLING and CONFORT

AVATAR

CERTIFICATION NORM
EN ISO 20345: 2011 CE S3 SRA



SIZES	33-47
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	VIBRAM RUBBER + EVA + TPU
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	CORDURA
LINING MATERIALS	BLACK DRYLEX TEXTILE
WIDTH	11
REF	1299.00



SPORTY LIGHT & COMFORTABLE ALL DAY LONG.



LEATHER & METAL **FREE**



1

PU MIDSOLE

- The directly injected lightweight PU midsole provides shock absorption across the whole foot and high flexibility

2

TPU OUTSOLE

- The TPU outsole provides excellent abrasion and slip resistance (SRB) ensuring a secure contact to the ground

3

ENERGY SOLE DESIGN

- The heel area improves cushioning, protecting the foot against shocks and enhancing comfort

4

LASER HD WR UPPER

- High abrasion resistant textile
- Breathable
- Hydrophobized/Water Repellent

5

REINFORCED COUNTER

- Heel protection stabilizer

6

SEAMLESS

- Virtually seamless construction made from high-tech materials to eliminate pressure points

7

EXTRA PROTECTION

- Elevated hardness TPU film avoids abrasion of the fabric in the toe area, for wearers who kneel a lot during their work, prolonging the lifespan of the shoe

8

COMFORT AND DURABILITY

- Cambrelle® lining offers a combination of abrasion resistance and moisture management to keep feet cool, dry, and comfortable even in extreme conditions

9

PROTECTED FRICTION AREAS

- Soft padded collar and padded tongue

10

LAVORO CARBON ACTIVE INSOLE

- Breathable
- Antistatic
- Carbon active based
- Odour free
- Improved thermal sensation
- High tear resistance
- Foam Por based on flexible recycled materials

HYBRID BLACK/BLUE

CERTIFICATION NORM
EN ISO 20345: 2011 CE S3 SRB



SIZES	36-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU + TPU
INSOLE	LAVORO CARBON ACTIVE
UPPER RAW MATERIALS	BLACK LASER TEXTILE
LINING MATERIALS	CAMBRELLE TEXTILE
WIDTH	11
REF	1263.11



HYBRID BLACK/RED

CERTIFICATION NORM
EN ISO 20345: 2011 CE S3 SRB



SIZES	36-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU + TPU
INSOLE	LAVORO CARBON ACTIVE
UPPER RAW MATERIALS	BLACK LASER TEXTILE
LINING MATERIALS	CAMBRELLE TEXTILE
WIDTH	11
REF	1263.14



WAVE

CERTIFICATION NORM
EN ISO 20345: 2011 CE S3 SRB



SIZES	39-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU + TPU
INSOLE	LAVORO CARBON ACTIVE
UPPER RAW MATERIALS	BLACK LASER WR TEXTILE
LINING MATERIALS	BLUE DERMODRY COOLMAX TEXTILE
WIDTH	11
REF	1269.11





SILVER INDY

CERTIFICATION NORM

EN ISO 20345: 2011 CE S1P SRC



100% Non
Metallic



Clima Cork
System (CCS)



Responsive
Shock Absorption

SIZES	36-47
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED DOUBLE DENSITY PU
INSOLE	AIRPUMP LAVORO
UPPER RAW MATERIALS	BLACK NUBUCK LEATHER AND BLACK TEXTILE
LINING MATERIALS	GREY TEXTILE VADICONFORT
WIDTH	11
REF	1276.70



HOMESTEAD

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRC



100% Non
Metallic



Clima Cork
System (CCS)



Responsive
Shock Absorption

SIZES	36-47
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED DOUBLE DENSITY PU
INSOLE	AIRPUMP LAVORO
UPPER RAW MATERIALS	BLACK NUBUCK LEATHER AND CORDURA
LINING MATERIALS	GREY PACIFIC TEXTILE
WIDTH	11
REF.	1276.30



E01

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



ESD
(Electro Static
Dissipative)



Sole Resistant
to 300°



Shock
Absorber



Clima Cork
System (CCS)

SIZES	39-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DOUBLE DENSITY PU/RUBBER
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	BLACK NUBUCK LEATHER AND GREY LASER
LINING MATERIALS	HIGH-TECH TEXTILE
WIDTH	RED BALTIC AND BLACK PACIFIC TEXTILE
REF.	1234.00



390

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRC



ESD
(Electro Static
Dissipative)



Shock
Absorber



100% Non
Metallic



Clima Cork
System (CCS)

SIZES	36-47
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU
INSOLE	LAVORO ARNETECH X-MAX ANTISTATIC
UPPER RAW MATERIALS	LASER HD WR BLACK TEXTILE
LINING MATERIALS	BLACK CAMBRELLE TEXTILE
WIDTH	11
REF.	1261.40



AIR

CERTIFICATION NORM

EN ISO 20345: 2011 CE S1P SRB



ESD
(Electro Static
Dissipative)



Clima Cork
System (CCS)

SIZES	39-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU + TPU
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	ANILINE LEATHER AND BLACK SPACERNET TEXTILE
LINING MATERIALS	BLUE DERMODRY COOLMAX
WIDTH	11
REF	1469.11



MIAMI

CERTIFICATION NORM

EN ISO 20345: 2011 CE S1P SRC



100% Non
Metallic



Clima Cork
System (CCS)



Responsive
Shock Absorption

SIZES	36-47
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED DOUBLE DENSITY PU
INSOLE	AIRPUMP LAVORO
UPPER RAW MATERIALS	BLACK NUBUCK LEATHER AND BLACK TEXTILE
LINING MATERIALS	GREY PACIFIC TEXTILE
WIDTH	11
REF	1476.30



AZOV

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



	SIZES	35-48
PROTECTIVE MIDSOLE		KEVLAR
PROTECTION TOE CAP		COMPOSITE
SOLE		DIRECT INJECTED PU + RUBBER
INSOLE		LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS		BLACK FULL GRAIN LEATHER
LINING MATERIALS		GREY VADICONFORT TEXTILE
WIDTH		11
REF		1204.40



GREEN LIGHT

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRC



	SIZES	36-47
PROTECTIVE MIDSOLE		KEVLAR
PROTECTION TOE CAP		COMPOSITE
SOLE		DIRECT INJECTED DOUBLE DENSITY PU
INSOLE		LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS		BLACK NUBUCK LEATHER AND CORDURA
LINING MATERIALS		GREY PACIFIC TEXTILE
WIDTH		11
REF		1276.80



NORTHICC

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRC



	SIZES	39-47
PROTECTIVE MIDSOLE		KEVLAR
PROTECTION TOE CAP		COMPOSITE
SOLE		DIRECT INJECTED DOUBLE DENSITY PU
INSOLE		LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS		BLACK FULL GRAIN LEATHER AND REFLECTOR TEXTILE
LINING MATERIALS		BREATHABLE YELLOW TEXTILE
WIDTH		12
REF		6255.10





YODA

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



ESD
(Electro Static
Dissipative)



Sole Resistant
to 300°



100% Non
Metallic



Clima Cork
System (CCS)

SIZES	35-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU + RUBBER
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	BROWN NUBUCK WR LEATHER
LINING MATERIALS	BLACK DRYLEX TEXTILE
WIDTH	11
REF	1204.02



VADER

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



ESD
(Electro Static
Dissipative)



Sole Resistant
to 300°



100% Non
Metallic



Clima Cork
System (CCS)

SIZES	35-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU + RUBBER
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	GREY VADICONFORT TEXTILE
WIDTH	11
REF	1204.00



E02

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



ESD
(Electro Static
Dissipative)



Sole Resistant
to 300°



Shock
Absorber



Clima Cork
System (CCS)

SIZES	35-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DOUBLE DENSITY PU/RUBBER
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	BLACK NUBUCK LEATHER
LINING MATERIALS	BLACK PACIFIC TEXTILE
WIDTH	11
REF.	1256.00



TIDAL

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRB



ESD
(Electro Static
Dissipative)



100% Non
Metallic

SIZES	36-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU + TPU
INSOLE	LAVORO ANTISTATIC
UPPER RAW MATERIALS	BLACK LEATHER AND GREY TEXTILE
LINING MATERIALS	BLACK CAMBRELLE TEXTILE
WIDTH	11
REF.	1250.00



SOLAR

CERTIFICATION NORM

EN ISO 20345: 2011 CE S1P SRB



ESD
(Electro Static
Dissipative)



100% Non
Metallic

SIZES	36-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU + TPU
INSOLE	LAVORO ANTISTATIC
UPPER RAW MATERIALS	BLUE NUBUCK AND GREY TEXTILE
LINING MATERIALS	BLACK CAMBRELLE TEXTILE
WIDTH	11
REF.	1250.01



1 DOUBLE DENSITY PU
 • Provides shock absorption across the whole foot and high flexibility

2 CUP SOLE DESIGN
 • Technical contribution of SPODOS® Foot Science Center
 • Designed for multidirectional floors, giving a perfect traction with comfort to your feet

3 LAST
 • Anatomical shaped last

4 NATURAL LEATHER
 • Floather: full grain leather
 • Lining: extra soft leather allowing natural breathability

5 INSOLE
 • Cork + Chromium free leather vegetable tanning



PENALTY

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRA



Exclusive PU outsole



Shock Absorber



Clima Cork System (CCS)

SIZES	39-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED DOUBLE DENSITY PU
INSOLE	LAVORO CHROMIUM FREE
UPPER RAW MATERIALS	FULL GRAIN LEATHER
LINING MATERIALS	ANILINE LEATHER
WIDTH	11
REF	6238.10



CORNER

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRA



Exclusive PU outsole



Shock Absorber



Clima Cork System (CCS)

SIZES	39-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED DOUBLE DENSITY PU
INSOLE	LAVORO CHROMIUM FREE
UPPER RAW MATERIALS	FULL GRAIN LEATHER
LINING MATERIALS	ANILINE LEATHER
WIDTH	11
REF	6238.12





JAMOR

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRA



SIZES	36-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED DOUBLE DENSITY PU
INSOLE	PERFORATED EVA WITH ANTI-TORSION SYSTEM
UPPER RAW MATERIALS	BLACK MATRIX KEVLAR AND BLACK ANILINE LEATHER
LINING MATERIALS	BLACK TEXTILE AND BLACK DRYLEX
WIDTH	11
REF	1237.00



TEAM BROWN

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRA



SIZES	36-47
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED DOUBLE DENSITY PU
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	FULL LEADER
LINING MATERIALS	BEIGE ANILINE LEATHER
WIDTH	11
REF	6238.02



CHALLENGE

CERTIFICATION NORM

EN ISO 20345: 2011 CE S1P SRA



SIZES	39-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED DOUBLE DENSITY PU
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	BLACK TEXTILE WITH INJECTED PU
LINING MATERIALS	BLUE DERMODRY COOLMAX
WIDTH	11
REF	1239.00



CAMBRIDGE

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRC



SIZES	39-47
PROTECTIVE MIDSOLE	STEEL
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED PU
INSOLE	ANILINE
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	GREY ANILINE LEATHER
WIDTH	10
REF	1280.35



OXFORD

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRC



SIZES	39-47
PROTECTIVE MIDSOLE	STEEL
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED PU
INSOLE	ANILINE
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	GREY ANILINE LEATHER
WIDTH	10
REF	1260.65



290

CERTIFICATION NORM
EN ISO 20345: 2011 CE S3 SRC



ESD
(Electro Static
Dissipative)



Shock
Absorber



100% Non
Metallic



Clima Cork
System (CCS)

SIZES	36-47
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	GREY VADICONFORT TEXTILE AND BLACK PACIFIC TEXTILE
WIDTH	11
REF	1259.40



292

CERTIFICATION NORM
EN ISO 20345: 2011 CE S3 SRC



ESD
(Electro Static
Dissipative)



Shock
Absorber



100% Non
Metallic



Clima Cork
System (CCS)

SIZES	36-47
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	BROWN FULL GRAIN LEATHER
LINING MATERIALS	BROWN PACIFIC TEXTILE AND ORANGE BALTIC TEXTILE
WIDTH	11
REF	1259.42



293

CERTIFICATION NORM
EN ISO 20345: 2011 CE S2 SRC



Anti Slip Sole



Shock
Absorber



100% Non
Metallic



Clima Cork
System (CCS)

SIZES	35-47
PROTECTIVE MIDSOLE	-
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU
INSOLE	AIRPUMP LAVORO
UPPER RAW MATERIALS	WHITE ON MICRO
LINING MATERIALS	GREY PACIFIC TEXTILE
WIDTH	11
REF	1159.03



E82

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



ESD
(Electro Static
Dissipative)



Sole Resistant
to 300°



Shock
Absorber



Clima Cork
System (CCS)

	SIZES	35-48
PROTECTIVE MIDSOLE	KEVLAR	
PROTECTION TOE CAP	STEEL	
SOLE	DOUBLE DENSITY PU/RUBBER	
INSOLE	LAVORO X-MAX ANTISTATIC	
UPPER RAW MATERIALS	BROWN PULL UP PRINTED LEATHER	
LINING MATERIALS	BLACK PACIFIC TEXTILE	
WIDTH	11	
REF	6084.42	



E10 BLACK

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



ESD
(Electro Static
Dissipative)



Sole Resistant
to 300°



Shock
Absorber



Clima Cork
System (CCS)

	SIZES	35-48
PROTECTIVE MIDSOLE	KEVLAR	
PROTECTION TOE CAP	STEEL	
SOLE	DOUBLE DENSITY PU/RUBBER	
INSOLE	LAVORO X-MAX ANTISTATIC	
UPPER RAW MATERIALS	BLACK NUBUCK LEATHER	
LINING MATERIALS	BLACK PACIFIC TEXTILE	
WIDTH	11	
REF	1084.30	



E17 BROWN

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



ESD
(Electro Static
Dissipative)



Sole Resistant
to 300°



Shock
Absorber



Clima Cork
System (CCS)

	SIZES	35-48
PROTECTIVE MIDSOLE	KEVLAR	
PROTECTION TOE CAP	STEEL	
SOLE	DOUBLE DENSITY PU/RUBBER	
INSOLE	LAVORO X-MAX ANTISTATIC	
UPPER RAW MATERIALS	BROWN NUBUCK LEATHER	
LINING MATERIALS	BLACK PACIFIC TEXTILE	
WIDTH	11	
REF	1084.22	



E18 BLUE

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



ESD
(Electro Static
Dissipative)



Sole Resistant
to 300°



Shock
Absorber



Clima Cork
System (CCS)

SIZES	35-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DOUBLE DENSITY PU/RUBBER
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	BLUE NUBUCK LEATHER
LINING MATERIALS	BLACK PACIFIC TEXTILE
WIDTH	11
REF	1084.21



E16 HONEY

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



ESD
(Electro Static
Dissipative)



Sole Resistant
to 300°



Shock
Absorber



Clima Cork
System (CCS)

SIZES	35-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DOUBLE DENSITY PU/RUBBER
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	BEIGE NUBUCK LEATHER
LINING MATERIALS	BLACK PACIFIC TEXTILE
WIDTH	11
REF	1084.36



E22

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



ESD
(Electro Static
Dissipative)



Sole Resistant
to 300°



Shock
Absorber



Clima Cork
System (CCS)

SIZES	39-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DOUBLE DENSITY PU/RUBBER
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	BLACK NUBUCK LEATHER
LINING MATERIALS	BLACK PACIFIC TEXTILE
WIDTH	11
REF.	1058.00



View this product in **360°**

LANDO

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



ESD
(Electro Static
Dissipative)



Sole Resistant
to 300°



100% Non
Metallic



Clima Cork
System (CCS)

SIZES	35-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU + RUBBER
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	BROWN NUBUCK WR LEATHER
LINING MATERIALS	BLACK DRYLEX TEXTILE
WIDTH	11
REF	1004.02



KENOBI

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



ESD
(Electro Static
Dissipative)



Sole Resistant
to 300°



100% Non
Metallic



Clima Cork
System (CCS)

SIZES	35-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU + RUBBER
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	GREY VADICONFORT TEXTILE
WIDTH	11
REF	1004.00



X6

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRC



Exclusive PU
outsole



Shock
Absorber



Clima Cork
System (CCS)

SIZES	36-47
PROTECTIVE MIDSOLE	STEEL
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED DOUBLE DENSITY PU
INSOLE	AIRPUMP LAVORO
UPPER RAW MATERIALS	BROWN NUBUCK LEATHER
LINING MATERIALS	BROWN PACIFIC TEXTILE
WIDTH	11
REF	1065.52



BIOMASS

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRB



ESD
(Electro Static
Dissipative)



100% Non
Metallic

SIZES	36-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU + TPU
INSOLE	LAVORO ANTISTATIC
UPPER RAW MATERIALS	BLACK LEATHER AND GREY TEXTILE
LINING MATERIALS	BLACK CAMBRELLE TEXTILE
WIDTH	11
REF	1050.00



SOLO

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



ESD
(Electro Static
Dissipative)



Sole Resistant
to 300°



100% Non
Metallic



Clima Cork
System (CCS)

SIZES	35-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU + RUBBER
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	SYMPATEX MEMBRANE
WIDTH	11
REF	1004.10



CASCADES

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



Sole Resistant
to 300°



Clima Cork
System (CCS)

SIZES	39-47
PROTECTIVE MIDSOLE	STEEL
PROTECTION TOE CAP	STEEL
SOLE	VIBRAM + DIRECT INJECTED PU
INSOLE	AIRPUMP LAVORO
UPPER RAW MATERIALS	BROWN CRAZY HORSE LEATHER
LINING MATERIALS	SYMPATEX MEMBRANE
WIDTH	11
REF	1024.22



CASCADES GREY

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



Sole Resistant
to 300°



Clima Cork
System (CCS)

SIZES	39-47
PROTECTIVE MIDSOLE	STEEL
PROTECTION TOE CAP	STEEL
SOLE	VIBRAM + DIRECT INJECTED PU
INSOLE	AIRPUMP LAVORO
UPPER RAW MATERIALS	GREY CRAZY HORSE LEATHER
LINING MATERIALS	SYMPATEX MEMBRANE
WIDTH	11
REF	1024.26



EXPLORATION LOW

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRC



SIZES	39-48
PROTECTIVE MIDSOLE	STEEL
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED PU
INSOLE	CHROMIUM FREE
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	AQUATEX WATERPROOF
WIDTH	11
REF	1011.00

150 mm



EXPLORATION HIGH

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRC



SIZES	39-48
PROTECTIVE MIDSOLE	STEEL
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED PU
INSOLE	CHROMIUM FREE
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	AQUATEX WATERPROOF
WIDTH	11
REF	1611.00

205 mm



E802

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



SIZES	35-48
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DOUBLE DENSITY PU/RUBBER
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	WR FLOATER COGNAC
LINING MATERIALS	FUR LINING AND AQUATEX WATERPROOF
WIDTH	11
REF	6684.42





View this product in **360°**

ICELANDICC

CERTIFICATION NORM
EN ISO 20345: 2011 CE S3 CI SRC



Lambskin



Toe Box

SIZES	36-47
PROTECTIVE MIDSOLE	STEEL
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED DOBLE DENSITY PU
INSOLE	AIRPUMP LAVORO
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	LAMBSKIN
WIDTH	12
REF	1625.00

• **LAMBSKIN**

Extremely resistant to cold temperatures

• **2 ZIPPER**

Easier System



265 mm



Clima Cork System

The natural clima of your feet.

CCS is an exclusive patented system of LAVORO. The layer of cork between the insole and the outsole isolates your feet from the cold and heat environment.



Brushcutter
Protection

**EN ISO 20345: 2011 CE S3
HRO SRC CI HI WR**

"Tested to debris launched at a velocity of 300 Meters per second by Coimbra University (Portugal), debris used, metal spheres and metal wires."



View this product in **360°**

THOR

CERTIFICATION NORM
EN ISO 20345: 2011 CE S3 HRO SRC CI HI WR



Sole Resistant
to 300°




Brushcutter
Protection



Clima Cork
System (CCS)

SIZES	39-47
PROTECTIVE MIDSOLE	STEEL
PROTECTION TOE CAP	STEEL
SOLE	VIBRAM + DIRECT INJECTED PU
INSOLE	CHROMIUM FREE
UPPER RAW MATERIALS	BROWN CRAZY HORSE LEATHER
LINING MATERIALS	SYMPATEX MEMBRANE
WIDTH	11
REF	1632.02



REAR ZIPPER

320 mm



ELITE

CERTIFICATION NORM
EN ISO 20345: 2011 CE S3 HRO SRC
EN ISO 17249: 2013 CLASS 2



Sole Resistant
to 300°



Chainsaw
Protection



Clima Cork
System (CCS)

SIZES	39-48
PROTECTIVE MIDSOLE	STEEL
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED PU + RUBBER
INSOLE	LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS	BROWN CRAZY HORSE LEATHER
LINING MATERIALS	SYMPATEX MEMBRANE
WIDTH	11
REF	1671.02

215 mm



SHERWOOD

CERTIFICATION NORM
EN ISO 20345: 2011 CE S3 HRO SRC
EN ISO 17249: 2013 CLASS 3



Sole Resistant
to 300°



Chainsaw
Protection



Clima Cork
System (CCS)

SIZES	39-47
PROTECTIVE MIDSOLE	STEEL
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED PU + RUBBER
INSOLE	AIRPUMP LAVORO
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	SYMPATEX MEMBRANE
WIDTH	11
REF	1053.60

250 mm



DAINTREE

CERTIFICATION NORM
EN ISO 20345: 2011 CE S3 SRC
EN ISO 17249: 2013 CLASS 1



Sole Resistant
to 300°



Chainsaw
Protection



Clima Cork
System (CCS)

SIZES	39-47
PROTECTIVE MIDSOLE	STEEL
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED DOUBLE DENSITY PU
INSOLE	AIRPUMP LAVORO
UPPER RAW MATERIALS	BLACK PRINTED LEATHER
LINING MATERIALS	BLACK CAMBRELLE TEXTILE
WIDTH	11
REF	1053.40

250 mm



FÉNIX 2.0



FÉNIX 2.0 BLACK

CERTIFICATION NORM

EN ISO 15090: 2012 CE F2A TIPO 2 HI3

EN ISO 20345: 2011 CE S3 HRO SRC



Shock Absorber



Sole Resistant to 500°




Clima Cork System (CCS)

SIZES	35-47
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DIRECT VULCANIZED FIRE-RETARDANT RUBBER
INSOLE	3 DIFFERENT PAIRS: · CHROMIUM FREE, · LAVORO X-MAX ANTISTATIC · AIRSPRING
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	SYMPATEX MEMBRANE
WIDTH	12
REF	2018.10

240 mm



3 FREE
PAIR OF DIFFERENT
INSOLES



Special rubber sole tested until 500°

CEIF-Center for Forest Fire Studies (ADAI - University of Coimbra).

NEW BARCELONA

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



Sole Resistant
to 300°



Shock
Absorber



Clima Cork
System (CCS)

SIZES	39-47
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED PU + RUBBER
INSOLE	AIRPUMP LAVORO
UPPER RAW MATERIALS	BLACK PRINTED LEATHER
LINING MATERIALS	GREY VADICONFORT TEXTILE
WIDTH	12
REF	1052.01



NEW PROTECTOR

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



Sole Resistant
to 300°



Shock
Absorber



Clima Cork
System (CCS)

SIZES	39-47
PROTECTIVE MIDSOLE	STEEL
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED PU + RUBBER
INSOLE	AIRPUMP LAVORO
UPPER RAW MATERIALS	BLACK PRINTED LEATHER
LINING MATERIALS	BLACK CAMBRELE TEXTILE
WIDTH	12
REF	1023.50



ASPHALT BOOT

CERTIFICATION NORM

EN ISO 20345: 2011 CE S2 HRO SRA



Sole Resistant
to 300°



Shock
Absorber



Clima Cork
System (CCS)

SIZES	39-47
PROTECTIVE MIDSOLE	-
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED PU + RUBBER
INSOLE	CHROMIUM FREE
UPPER RAW MATERIALS	BLACK PRINTED LEATHER
LINING MATERIALS	GREY VADICONFORT TEXTILE
WIDTH	11
REF	6052.05



KENOBI XXL

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRA



Anti Slip Sole



Shock Absorber



100% Non Metallic



Clima Cork System (CCS)

SIZES	49-53
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU
INSOLE	AIRPUMP LAVORO
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	GRAY AERPLUS TEXTILE
WIDTH	12
REF	1004.30



VADER XXL

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRA



Anti Slip Sole



Shock Absorber



100% Non Metallic



Clima Cork System (CCS)

SIZES	49-53
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	COMPOSITE
SOLE	DIRECT INJECTED PU
INSOLE	AIRPUMP LAVORO
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	GRAY AERPLUS TEXTILE
WIDTH	12
REF	1204.30





S.A.S. BLACK BOOT

CERTIFICATION NORM

EN ISO 20345:2012 03 SRC HRO WR



Shock Absorber



100% Non Metallic



Clima Cork System (CCS)

SIZES	36-47
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	-
SOLE	DIRECT INJECTED PU / VIBRAM RUBBER
INSOLE	AIRPUMP LAVORO
UPPER RAW MATERIALS	BLACK PUTEK TEXTILE
LINING MATERIALS	SYMPATEX MEMBRANE
WIDTH	11
REF	6675.10



PATROL

CERTIFICATION NORM

EN ISO 20347:2012 02 HRO SRC



Shock Absorber



Clima Cork System (CCS)

SIZES	36-47
PROTECTIVE MIDSOLE	-
PROTECTION TOE CAP	-
SOLE	DIRECT INJECTED PU + RUBBER
INSOLE	AIRPUMP LAVORO
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	BLACK CAMBRELLE TEXTILE
WIDTH	11
REF	1076.00



INTERIOR ZIPPER







WOMAN

As women give more and more life to technical professions, the use of professional footwear suitable for the anatomy of the female foot is progressively imposed. Why?

Because women do not just have a different taste, but also a distinct morphology. Conciliating function, safety, design and comfort with the biomechanical knowledge of women's feet, we now have a wide range of models for women, which gives us the status of specialist in women's professional footwear in the global market. This is a segment that we regularly reinforce with new models, great versatility, aesthetic sense and even a lot of glamor and style!

BIANCA

CERTIFICATION NORM

EN ISO 20345:2011 S3 SRC



ESD
Electro Static
Dissipative)



Clima Cork
System (CCS)



Woman

SIZES	36-42
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED PU
INSOLE	DRYTECH ANTISTATIC
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	RED ANILINE
WIDTH	10
REF	1118.10

NEW



CYNDI

CERTIFICATION NORM

EN ISO 20345:2011 CE S3 SRC



ESD
Electro Static
Dissipative)



Clima Cork
System (CCS)



Woman

SIZES	36-42
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED PU
INSOLE	DRYTECH ANTISTATIC
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	RED ANILINE
WIDTH	10
REF	1016.10

NEW



LUCY

CERTIFICATION NORM

EN ISO 20345:2011 CE S3 SRC



ESD
Electro Static
Dissipative)



Clima Cork
System (CCS)



Woman

SIZES	36-42
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED PU
INSOLE	DRYTECH ANTISTATIC
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	RED ANILINE
WIDTH	10
REF.	1021.10

NEW



LYNX BLUE

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRC



ESD
(Electro Static
Dissipative)



100% Non
Metallic



Leather free



Woman

SIZES 35-42
PROTECTIVE MIDSOLE KEVLAR
PROTECTION TOE CAP COMPOSITE
SOLE DIRECT INJECTED DOUBLE DENSITY PU
INSOLE LAVORO ESD TITAN
UPPER RAW MATERIALS WR BREATHABLE HI-TECH MF
LINING MATERIALS BLUE DRYLEX TEXTILE
WIDTH 11
REF 1257.51



LEIA

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



ESD
(Electro Static
Dissipative)



Sole Resistant
to 300°



100% Non
Metallic



Clima Cork
System (CCS)



Woman

SIZES 35-42
PROTECTIVE MIDSOLE KEVLAR
PROTECTION TOE CAP COMPOSITE
SOLE DIRECT INJECTED PU + RUBBER
INSOLE LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS PINK HIGH-TECH TEXTILE
LINING MATERIALS BLACK DRYLEX TEXTILE
WIDTH 11
REF 1215.08



CHEWIE

ref.:1203.01



LUKE

ref.:1203.07



SKYWALKER

ref.:1279.20



AZOV

ref.:1204.40



VADER

ref.:1204.00



YODA

ref.:1204.02



SOLO

ref.:1004.10



KENOBI

ref.:1004.00



LANDO

ref.:1004.02

E802

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



<p>SIZES PROTECTIVE MIDSOLE PROTECTION TOE CAP SOLE INSOLE UPPER RAW MATERIALS LINING MATERIALS WIDTH REF</p>	<p>35-42 KEVLAR STEEL DOUBLE DENSITY PU/RUBBER LAVORO X-MAX ANTISTATIC WR FLOATER COGNAC FUR LINED AND AQUATEX MEMBRANE 11 6684.42</p>
---	--



MICHELE

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 HRO SRC



<p>SIZES PROTECTIVE MIDSOLE PROTECTION TOE CAP SOLE INSOLE UPPER RAW MATERIALS LINING MATERIALS WIDTH REF</p>	<p>35-42 KEVLAR STEEL DOUBLE DENSITY PU/RUBBER LAVORO X-MAX ANTISTATIC PINK NUBUCK LEATHER BLACK PACIFIC TEXTILE 11 1084.24</p>
---	---



E10 BLACK
ref.:1084.30



E16 BLUE
ref.:1084.21



E82
ref.: 6084.42



E18 HONEY
ref.:1084.36



E17 BROWN
ref.:1084.22



E02
ref.:1256.00

EVA

CERTIFICATION NORM

EN ISO 20345: 2011 CE S2P SRC



ESD
Electro Static
Dissipative)



Clima Cork
System (CCS)



Woman

SIZES	36-42
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED PU
INSOLE	NON WOVEN MATERIAL DRYTECH ANTISTATIC
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	BLACK ANILINE
WIDTH	10
REF	1153.10



SANDY

CERTIFICATION NORM

EN ISO 20345: 2011 CE S2P SRC



Shock
Absorber



Clima Cork
System (CCS)



Woman

SIZES	36-42
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED PU
INSOLE	ANILINE
UPPER RAW MATERIALS	BLACK FULL GRAIN LEATHER
LINING MATERIALS	BLACK ANILINE
WIDTH	10
REF	1036.30



MELISSA

CERTIFICATION NORM

EN ISO 20345: 2011 CE S2P SRC



Shock
Absorber



Clima Cork
System (CCS)



Woman

SIZES	36-42
PROTECTIVE MIDSOLE	KEVLAR
PROTECTION TOE CAP	STEEL
SOLE	DIRECT INJECTED PU
INSOLE	ANILINE
UPPER RAW MATERIALS	BROWN FULL GRAIN LEATHER
LINING MATERIALS	BROWN PACIFIC TEXTILE
WIDTH	10
REF	1087.12



CAT WOMAN

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRA



SIZES 36-42
PROTECTIVE MIDSOLE KEVLAR
PROTECTION TOE CAP STEEL
SOLE DIRECT INJECTED PU
INSOLE AIRPUMP LAVORO
UPPER RAW MATERIALS BLACK NUBUCK LEATHER
LINING MATERIALS GREY VADICONFORT TEXTILE
WIDTH 10
REF 1205.00



AVATAR

CERTIFICATION NORM

EN ISO 20345: 2011 CE S3 SRA



SIZES 33-42
PROTECTIVE MIDSOLE KEVLAR
PROTECTION TOE CAP STEEL
SOLE VIBRAM RUBBER + EVA + TPU
INSOLE LAVORO X-MAX ANTISTATIC
UPPER RAW MATERIALS CORDURA
LINING MATERIALS BLACK DRYLEX TEXTILE
WIDTH 11
REF 1299.00



Size Chart

	Mondopoint R2 (cm)	French	UK
	Correspondence between sizes	217	35
225		36	3
232		37	4
240		38	5
247		39	6
255		40	6 1/2
262		41	7
270		42	8
277		43	9
285		44	10
292		45	10 1/2
300		46	11
307		47	12
315		48	13
322		49	14
330		50	14 1/2
337		51	15
345	52	16	
352	53	17	

EN ISO 20345 - Safety Footwear

SB - 200 (JOULE) TOECAP PROTECTION.

S1 - 200J TOECAP PROTECTION. ANTISTATIC PROPERTIES. FUEL OIL RESISTANCE. ENERGY ABSORPTION OF SEAT REGION 20J.

S1P - 200J TOECAP PROTECTION. ANTISTATIC PROPERTIES. FUEL OIL RESISTANCE. ENERGY ABSORPTION OF SEAT REGION 20J.
PENETRATION RESISTANCE 1100 NEWTONS.

S2 - 200J TOECAP PROTECTION. ANTISTATIC PROPERTIES. FUEL OIL RESISTANCE. ENERGY ABSORPTION OF SEAT REGION 20J.
WATER PENETRATION AND WATER ABSORPTION RESISTANCE.

S2P - 200J TOECAP PROTECTION. ANTISTATIC PROPERTIES. FUEL OIL RESISTANCE. ENERGY ABSORPTION OF SEAT REGION 20J.
WATER PENETRATION AND WATER ABSORPTION RESISTANCE.
PENETRATION RESISTANCE 1100 NEWTONS.

S3 - 200J TOECAP PROTECTION. ANTISTATIC PROPERTIES. FUEL OIL RESISTANCE. ENERGY ABSORPTION OF SEAT REGION 20J.
WATER PENETRATION AND WATER ABSORPTION RESISTANCE.
PENETRATION RESISTANCE 1100 NEWTONS. CLEANED OUTSOLE.

SRA - TESTED ON CERAMIC TILE WETTED WITH DILUTE SOAP SOLUTION.
SRB - TESTED ON SMOOTH STEEL WITH GLYCEROL;
SRC - TESTED UNDER BOTH THE ABOVE CONDITIONS.

HRO - RESISTANCE TO HOT CONTACT AT 300°C.

CI - COLD INSULATION
HI - HOT INSULATION

EN ISO 20347 - OCCUPATIONAL FOOTWEAR

OB - BASIC REQUIREMENTS.

O2 - ANTISTATIC PROPERTIES. FUEL OIL RESISTANCE. SHOCK ABSORPTION. WATER PENETRATION AND WATER ABSORPTION RESISTANCE.

A - ANTISTATIC PROPERTIES.

E - ENERGY ABSORPTION OF SEAT REGION 20J.

The flat foot and the foot cavity are anatomical variations of the inner arch of the foot. These variations cause loss of efficiency in damping and shock absorption.

		<p>LAVORO SPODOS REF: 9999.95</p>	 ESD Electro Static Dissipative	
FLAT FEET				
		<p>LAVORO SPODOS REF: 9999.96</p>	 ESD Electro Static Dissipative	
NORMAL FEET				
		<p>LAVORO SPODOS REF: 9999.97</p>	 ESD Electro Static Dissipative	
ARCH FEET				

FEATURES

Respect for the health of your feet:

- Anti-microbial
- Active carbon
- Thermoregulatory effect
- Steam Permeable
- 100% breathable
- Washable

Thinking about comfort:

- Anti-fatigue
- Extra light
- High absorption capacity
- High memory capacity
- Different densities

Ecofriendly:

- Made from recycled materials

Other features:

- Resistant to abrasion
- Anti-static

LAVORO X-MAX ANTISTATIC
REF: 9999.13



- Steam permeable (material is produced with open cells)
- Resistant to fatigue
- Resistant to the deformation by compression (they have a great recovery)
- Washable
- Increased shock absorption
- Antibacterial, antimycotic and anti-odors (the active carbon molecule is within the molecule, even with washes do not lose this property)
- Breathable
- Thermoregulatory effect (CCS)

LAVORO CHROMIUM FREE
REF: 9999.12



- Chromium free
- Produced with cork and natural leather
- Breathable
- Thermoregulatory effect (CCS)
Cork is a natural material that isolates your feet from the environment cold and heat

LAVORO CUP
REF: 9999.14



- Perforated insole for better ventilation
- More freshness sensation
- Shock absorption
- Comfortable surface structure

LAVORO AIRPUMP INSOLE
REF: 9999.16



- Resistant to fatigue
- Washable
- Shock absorption

INSOLE PACKAGING

Dimension:
Length: 350mm
Width: 120mm
Height: 20mm



LACES
REF: 9999.90

Available sizes:
1000mm
1300mm
1550mm
2000mm



FACE SHIELD
REF: 9998.15

- Acrylic
- Headband adjustable height 2.5cm
- Washable microfiber tape



FACE MASK
REF: 9999.64

- Reusable cotton face mask.
- 100% double layer cotton fabric, elastic and clip for easy adjustment.
- Washable at 60 degrees up to 25 washes.





Preserve the health of your feet while working

Coolmax | Bamboo | Merino Wool

Naturally Antibacterial
Moisture management
Odor resistance

Coolmax

Improved breathability
Extra soft on skin
Eliminates friction and discomfort
Dries fast

Bamboo and Merino Wool

Expels sweat
Keeps foot drier
Decreases the proliferation of microorganisms
Excellent insulation



Lavoro Eco socks

Naturally Antibacterial
Moisture management
Odor resistance



LAVORO PRO SOCKS

by Spodos® Foot Science Center | Ref. 9999.79

Selected premium materials and accurate design to keep your feet feeling cool, dry and fresher for longer.

LAVORO ECO SOCKS

by Spodos® Foot Science Center | Ref. 9999.73

Selected materials and accurate design to keep your feet feeling cool, dry and fresher for longer.

www.lavoroeurope.com



HydraSpodos | Ref. 9999.60

by Spodos® Foot Science Center

Developed by podiatrists thinking in your feet health.

Feet moisturizing cream, enriched with hyaluronic acid and coconut oil. Thinking on the welfare of your feet, Spodos® Foot Science Center, has developed a revolutionary moisturizing cream for your feet that guarantees:

- Easy and fast application
- Nice texture and aroma
- Concentrated formula
- Good absorption
- Well tolerated
- Leaves skin soft



DAILY MOISTURIZING FOR YOUR FEET.

KIT SPODOS

- 12 HYDRASPODOS CREAMS
- 5 PAIRS OF LAVORO SPODOS INSOLES

R & D



Steel Midsole



Kevlar Midsole



Composite
Midsole



Antistatic



Steel Toe Cap



Composite
Toe Cap



Aluminium
Toe Cap



ESD
(Electro Static
Dissipative)



Water
Resistant



Fuel/Oil
Resistant Sole



Anti Slip Sole



100%
Recyclable




Exclusive PU
outsole



Shock
Absorber



Lambskin




100% Non
Metallic




Chainsaw
Protection



Brushcutter
Protection



Sole Resistant
to 300°



Sole Resistant
to 500°



Thinsulate
Insulation



Waterproof
Membrane



SympaTex



Woman



Toe Box



3DVario



Responsive
Shock Absorption



Clima Cork
System (CCS)



SAFETY

Our professional footwear is included in the category of PPE (Personal Protective Equipment) and can be classified into three groups:

- **Safety** (ISO 20345: 2011)
- **Protection** (20346: 2004 / And.A1: 2007)
- **Occupational** (20347: 2012)

Our models are designed and manufactured to meet a set of specifications according to the category in which they fit and in line with the requirements of Directive 89/686 / EEC, aim to ensure a specific protection of the foot or leg against a set of risks:

- **Physical risks:** mechanical, thermal, electrical and radiation
- **Chemical hazards:** heavy metals, liquids
- **Biological risks:** fungi and bacteria

Our production is certified in accredited national and international laboratories (CTCP, Satra, PFI) and our Quality Management System complies with the requirements of the NP EN ISO 9001: 2015 standard.



LIGHT INDUSTRIES AND SERVICES



HIGH RISK AND SPECIALISED ACTIVITIES



HEAVY INDUSTRIES




LAW ENFORCEMENT AND SECURITY FORCES

WE MAKE FOOTWEAR FOR REAL PEOPLE IN THE REAL WORK ENVIRONMENT


COLLECTION



EXECUTIVE



ELECTRONICS



LAND AND SEE



HORECA AND HEALTHCARE SERVICES

UNIQUE AND EXPRESSIVE DESIGN

With research, development and design improved, our commitment is with your wellbeing.

Our models combine functional realism with the elegant precision of a unique and expressive design. Different functionalities, suited to each work of environment, make life less complicated.

DESIGN, QUALITY AND FUNCTIONALITY

Supported by:

- Solid footwear industry tradition
- Latest manufacturing technologies and materials
- Continuous monitoring of each profession specificities
- Knowledge of the foot anatomy




SPO

WELLBEING

As even minor irritations can reduce mobility or productivity and increase absenteeism, it is important, under any foot health circumstance, to get advice from a podiatrist - which LAVORO makes available through SPODOS, its Foot Science Center. After all, as a celebrated proverb says, 'even the tallest towers begin on the ground'!

SPODOS helps companies to take care of the quality of life of the foot in the work context:

1. Helps to design the most appropriate models for each work environment;
2. Accompany the production of each model;
3. It characterizes the work environments and advises the companies after identifying the needs of each one;
4. Analyze feet of professional groups (using pressure platform, Spodos Print, and 3D scanning, Spodos 3D);
5. Diagnose pathologies of the foot and suggests therapies;
6. Recommends the best typology of footwear that suits the challenges of the different professions;
7. Supervises its efficiency in situ, to enhance protection rates as well as the foot's health;
8. Encourages training and awareness activities.



COMFORT

The emotional balance of workers can be affected if their feet are under pressure, friction or other constraints that cause physical or emotional discomfort. The worker who feels pain in the feet may have a decrease in his concentration and be more likely to act in an insecure way or suffer an accident at work.

The incorporation of biomechanical functionalities in our professional footwear (cushioning, stability control and movement control) aims therefore, to give more comfort to your life. In addition the correction of certain anatomical deficits of the feet, privilege their adaptation to the different required biomechanics in day-to-day work, from profession to profession.


Our Lavoro CUP model, for example, was developed to minimize the fatigue of professionals in the logistics sector, resulting from long periods of standing, constant movements, cargo and goods support. This challenge motivated the design of a sole with greater capacity of cushioning in the zones of hyperpression of the foot: heel, inner arch, metatarsals and the hallux base. Inspired by the world of football, the CUP sole is made up of a series of pythons strategically distributed designed to respect the natural walk cycle and protect precisely the areas of the foot that are further hampered by the pressure resulting from walking.

UMANA - Center for Biomechanical Analysis, based in Spain, confirmed the performance of this sole to the previously defined objectives. Their study revealed a global biomechanical evaluation of 7.9 out of 10, considered to be VERY GOOD, and concluded that the Lavoro CUP model presents:

- an index of 8.5 in 10 in the domain of footstep's plantar comfort / footing uniformity;
- an index of 7.3 in 10 in the domain of footste's stability;
- an index of 7.5 in 10 in the dynamic adaptation;
- a safety index of 8,6 out of 10 in joint damage.



+ info:
spodos@lavoroeurope.com



ENGINEER

EUROPEAN TREE OF THE YEAR 2018

"Whistler Cork Oak,
Palmela - PORTUGAL

EUROPEAN TREE OF THE YEAR 2018

Whistler Cork Oak, 234 years and 16 meters tall.
Cork removed more than 20 times since 1820.
Extraction of 1991 gave more than 1200 kilograms of cork.
Classified as a "Tree of Public Interest" since 1988.
Inscribed in the Guinness Book of Records as "the largest
cork oak in the world".

Águas de Moura, municipality of Palmela, Portugal

Distinction awarded by: ELO - European Landowners
Organization, in partnership with the Environmental
Partnership Association and Tetra Pak

Promoters of the candidacy: UNAC - Union of the
Mediterranean Forest, in collaboration with the Town Hall
of Palmela "

ERING



WE WANT TO PLAY AN ACTIVE ROLE IN YOUR LIFE

At Lavoro, we are genuinely committed to your safety and health.

With research, development and design ascertained, our commitment is with your well-being.


Our permanent innovation and differentiation aim at your complete satisfaction.

We are proud to be a benchmark for the quality of our products and services.

We seek perfection to think of you.

Because we want to play an active role in your LIFE.

Lavoro, engineering life!





LABS

Our permanent innovation and differentiation is aimed at your complete satisfaction.

All we create is made thinking of people. Every innovation is meant to simplify and improve your life. We are particularly proud of the steps taken in the Research, Development and Innovation chapter - where we were one of the first certified companies in the industry. The best R&D solves complex problems, making life choices look easy and natural.

RESEARCH

We closely monitor this constantly changing society and bring together interdisciplinary specialists in co-creation to research, develop, test and produce, with a focus on real-life environments, different typologies of professional footwear.

In addition to the user's feedback, which is crucial for us to serve even better, we believe that networking, both with the academic world and with institutions and business partners that favor the incorporation of technological gains, is indispensable to our constant search for the best technical solution for your life.

DEVELOPMENT

Innovation as a response to new challenges, a regular commitment in quality and certification of processes and adhesion of equipment and materials reflect our restless spirit, which afford us to be among the largest European producers of professional footwear. The CLIMA CORK SYSTEM and the RSA are just two examples of the creative ability that favors and distinguishes our models.





Clima Cork System



Responsive Shock Absorption

CLIMA CORK SYSTEM (CCS) is an exclusive system of Lavoro, which allows to create a natural environment for the feet, both in the field of temperature and their accommodation in shoes. Through the inclusion of an insulating layer of cork between the sole and the insole, CLIMA CORK SYSTEM regulates the heat and cold inside the footwear and gives extra comfort. The cork allows the creation of a kind of "footprint", favors its adaptation to the shoe and contributes to the reduction of fatigue, by benefiting the uniform distribution of the weight.

RESPONSIVE SHOCK ABSORPTION (RSA) system, patented by Lavoro, revolutionizes shock absorption in the shoe. With an open and extra-damping impact zone, it makes footwear more comfortable and the act of walking more pleasant and easy. The standards applicable to this characteristic of safety footwear require a minimum value of 20 Joules. Our range satisfies an average value of 60 Joules, but the RSA reaches 120 Joules in absorption. It is a performance six times higher than the standards require.

INNOVATION

We know full well that successful industries have only one way: to make their own products obsolete before others do. In 2011, the certification of our Research, Development and Innovation Management System (R&D) made us the first industry in the professional footwear sector to conduct an activity in accordance with NP 4457: 2007.

We seek to innovate in order to enhance our lives and, in partnership with CEIF-Center for Forest Fire Studies (ADAJ - University of Coimbra), we have recently developed two unparalleled boots on the market, (boot Fénix, boot THOR).



Lavoro Europe

Sol – Pinheiro
4810 – 718 Guimarães
PORTUGAL

GPS. N 41° 25' 04" | W 08° 17' 29"


T. +351 253 776 666
F. +351 253 140 905

info@lavoroeurope.com



Scan to know more & follow us

ICC - Ind. e Comercio de Calçado S.A.
NIF: 501642200
Capital Social: €1 416 495,00
Inscrita na C.R.C. Guimarães
sob o n.º 2453



UNIÃO EUROPEIA
Fundo Europeu
de Desenvolvimento Regional

